AUTHOR INDEX
1989, Volume 61

P = Proceedings of the British Cardiac Society

ABDULLA A K *see* Mohiaddin R H *et al*

ABINADER E G (& Sharif D S) Influence of age on Doppler echocardiographic indices of left ventricular diastolic function: correspondence 483

ADAMS K M *see* McKenna W J *et al*

ADAMS S *see* Nevin M *et al*

ADGEY A A J *see* Dalzell G W N *et al*
Dickey W *et al*
McKeown P *et al*
McKeown P P *et al*
McNeil A J *et al*

AGARWAL A K (& Redding V J) Transvenous His bundle ablation: short term and long term (6·36 months) results in 15 patients. Can success be predicted? 99 *P*

AHMAD R A S (& Sturman S, Watson R D S) Unruptured aneurysm of the sinus of Valsalva presenting with isolated heart block: echocardiographic diagnosis and successful surgical repair: case report 375

AHMED A *see* Mittal R B *et al*

AKHRAS F (& Jackson G) Prediction of outcome after acute uncomplicated myocardial infarction: a study of 394 patients with five year follow up 120*P*

— *see also* Wordsworth P *et al*

ALBERS C *see* Peart I *et al*

ALFONSO F (& Frenneaux M P, McKenna W J) Clinical sustained uniform ventricular tachycardia in hypertrophic cardiomyopathy: association with left ventricular apical aneurysm 178

ALIOT E *see* Brembilla-Perrot B *et al*

ALLAN L *see* Parsons J M *et al*
Virginia M *et al*

ALLEN D C *see* Richardson S G *et al*

ALLEN J *see* Sprigings D C *et al*

ALLEN J D *see* McKeown P *et al*

AL-RIYAMI A (& Macfarlane P W, Cobbe S M) Prevalence of ventricular arrhythmias in patients with left ventricular hypertrophy caused by aortic valve disease 450 *P*

AMANO A *see* Toyama M *et al*

AMBEPITYIA G (& Kopelman P G, Ingram D, MacDonald R, Mills P G, Timmis A D) The perception of angina in diabetic patients: evidence of silent exertional ischaemia 437 *P*

ANDERSEN H R (& Falk E, Nielsen D) Right ventricular infarction: diagnostic accuracy of electrocardiographic right chest leads V3R to V7R investigated prospectively in 43 consecutive fatal cases from a coronary care unit 514

ANDERSON D *see* Pepper J R *et al*

ANDERSON J *see* Dalzell G W N *et al*
Dickey W A *et al*
McKeown P *et al*
McKeown P P *et al*

ANDERSON R H *see* Carvalho J S *et al*
Franklin R C G *et al*
Parsons J M *et al*
Wharton J *et al*

ANDREOTTI F (& Davies G J, Maseri A, Hamilton J, Hopkins N, Mansfield A, Kluft C) Evidence for increased tissue type plasminogen activator inhibitor complexes in atherosclerotic patients 100 *P*

— *see also* Khan M I *et al*

ANGELINI G (& Hazekamp M, Van Boven V, Huysmans H, Quaegebeur J) Symmetrical aortoplasty repair for supravalvar aortic stenosis 482 *P*

ANGELINI G D (& Soyombo A, Bryan A J, Newby A C) Intimal proliferation in an organ culture of human saphenous vein 108 *P*

— *see also* Bryan A J *et al*

ANTONIOU A *see* Garratt C J *et al*

ARANKI S (& Pilai R, Khaghani A, Dhalla N, Tajkarimi S, Musumeci F, Aravot D, Yacoub M H) An evaluation of homovital aortic valve homografts 126 *P*

ARAVOT D (& Banner N, Khaghani A, Fitzgerald M, Musumeci F, Radley-Smith R, Yacoub M H) Cardiac transplantation in patients with present or past malignant neoplasms 464 *P*

— *see also* Aranki S *et al*

ARCHARD L C (& Banner N R, Bowles N E, Freeke C, Meany B T, Olsen E G, Richardson P J, Rose M, Yacoub M H) Enterovirus RNA in myocardium of patients with dilated cardiomyopathy 73 *P*

ARMSTRONG A P *see* Barin E S *et al*

ARNOLD R *see* Walsh K P *et al*

ARNOLDA L (& Conway M, Dolecki M, Sharif H, Sleight P, Ledingham J, Radda G K, Rajagopalan B) Phosphorus magnetic resonance spectroscopy of leg muscle in heart failure 459 *P*

ARONSON J K *see* Pugh S E *et al*

ASHLEY *see* Gehani A A *et al*

AU P *see* Bhandari A K *et al*

AYLWARD P E *see* Smith S A *et al*

AYTON V *see* Baker E J *et al*
Parsons J M *et al*

BADIMON L *see* Penny W J *et al*

BAIG M W (& Cowan J C, Cant J, Perrins E J) Electrophysiological basis of the configurations of the ventricular paced evoked response 473 *P*

BAILEY A *see* Dickey W A *et al*

BAILEY J *see* Davies S *et al*
Davies S W *et al*

BAIN H *see* Sullivan I D *et al*

BAIN W *see* Pye M *et al*

BAIRD I *see* DasGupta P *et al*

BAKER E J (& Parsons J M, Ladusans E J, Ayton V, Smith M A, Maisey M N, Tynan M J) Magnetic resonance imaging of the great arteries in infants 75 *P*

— *see also* Ladusans E J *et al*
Parsons J M *et al*

BALAJI S (& Keeton B R, Sutherland G R, Shore D F, Monro J L) Aortic valvotomy for critical aortic stenosis in neonates and infants aged less than one year 358

BALCON R (& Rothman M, Gershlick A, Layton C, Mishra A) Effect of initial lesion type on the results of coronary angioplasty 446 *P*

— *see also* Davies S *et al*
Davies S W *et al*
Gershlick A H *et al*
Norell M S *et al*

BALLANTYNE D *see* Northcote R J *et al*
Todd I C and Ballantyne D

BANNER N *see* Aravot D *et al*

BANNER N R (& Lloyd M H, Hamilton R D, Innes J A, Guz A, Yacoub M H) Cardiopulmonary response to dynamic exercise after heart and combined heart-lung transplantation 215

— (& Patel N, Cox A, Patton H, Lachno D R, Yacoub M H) Sympathetic neurohormonal response to dynamic exercise early after orthotopic cardiac transplantation 127 *P*

BANNER N R *see* Archard L C *et al*

— *see also* Barbir M *et al*
Barbir M (& Banner N R, Reid C J, Thompson G R, Mitchell A G, Yacoub M H) Influence of lipid abnormalities on the development of coronary arterial disease after cardiac transplantation 462 *P*
— *see also* Taha T H *et al*
Barin E S (& Macpherson P C, Ho S Y, Waterfield S A, Armstrong A P, Nathan A W) Observations on tissue changes and arcing with multiple high voltage low energy shocks for electrode catheter mediated cardiac ablation 469 *P*
— *see also* Davies D W *et al*
Ratnatunga C P *et al*
Barrett C W *see* Skehan J D *et al*
Beatt K J (& Luijten H E, Suryapranata H, de Feyter P J, Serruys P W) Dilatation variables: the paradox of optimal improvement in stenosis by percutaneous transluminal coronary angioplasty and restenosis 439 *P*
— (& Kamp O, Suryapranata H, Geuskens R, Serruys P W) Stent implantation for the treatment of coronary artery bypass graft stenosis 446 *P*
Beattie J *see* Hunt A C *et al*
Beattie J M *see* Fox J P *et al*
Been M *see* Goudevenos J *et al*
Beggs O *see* Dickey W A *et al*
Belch J *see* McMurray J *et al*
Belder M DE *see* de Belder M
Bell M *see* Penny W J *et al*
Bell M R (& Holmes D R, Vlietstra R E, Bresnahan D R) Percutaneous transluminal angioplasty of left internal mammary artery grafts: two years' experience with a femoral approach 417
Belz G G *see* de Mey C & Belz G G
Bennett D H *see* Molajo A O *et al*
Benson L N *see* Ino T *et al*
Leung M P *et al*
Bergman G (& Meany B, Metcalfe J, Thomas S, Jackson G, Jewitt D E) Simple and complex coronary angioplasty with a Monorail system 447 *P*
— (& Smyth D, Meany B, Thomas S, Forsyth A, Jackson G, Jewitt D E) Angioplasty of bifurcation lesions in major coronary vessels 84 *P*
Bergmann S R *see* Fox K A A *et al*
Bexton R *see* Robson R H *et al*
Bexton R S *see* Robson S C *et al*
Bhandari A K (& Hong R, Kotlewski A, McIntosh N, Au P, Sankoorikal A, Rahimtoola S H) Prognostic significance of programmed ventricular stimulation in survivors of acute myocardial infarction 410
Bhate M *see* Sreeram N *et al*
Bidstrup B P (& Royston D, Sapsford R N, Taylor K M) Effect of aprotinin on blood conservation during cardiac surgery 111 *P*
Black F (& Foley B, Crean P, Walsh M) Cardiac rehabilitation after open heart surgery: a surprising fact 448 *P*
Black M M *see* Sprigings D C *et al*
Blackie R A S *see* Keogh B E *et al*
Blackledge M J *see* Conway M *et al*
Blake D R *see* Burrell C J & Blake D R
Bleasdale C *see* Higham P D *et al*
Blomström-Lundqvist C (& Caidahl K, Olsson S B, Rudin A) Electrocardiographic findings and frequency of arrhythmias in Bartter's syndrome 274
Bloomfield J G *see* Pugh S E *et al*
Bloomfield P (& Wheatley D J, Prescott R J, Miller H C) Ten year results of a randomised trial of the Björk-Shiley, Hancock, and Carpentier-Edwards prostheses 452 *P*
Boden W E (& Kleiger R E, Gibson R S, Reddy B R, Schechtman K B, Schwartz D J, Capone R J, Roberts R, Diltiazem Reinfarction Study Research Group) Favourable long term prognosis in patients with non-Q wave acute myocardial infarction not associated with specific electrocardiographic changes 396
Bom N *see* Taams M A *et al*
Bonifacio E *see* Caforio A *et al*
Bonser R S (& Fragomeni L S, Jamieson S W, Kaye M P) Deleterious effects of prostaglandin E1 in 12 hour lung preservation 463 *P*
— *see also* Luke R A *et al*
Boon N A *see* Winner S J & Boon N A
Bos E *see* Fraser A G *et al*
Bosi E *see* Caforio A *et al*
Bottazzo G F *see* Caforio A *et al*
Boven v van *see* Van Boven V *et al*
Bowes R J (& Oakley G D G, Fleming J S, Cumberland D C) Early clinical experience with a laser wire for percutaneous angioplasty of chronically occluded coronary arteries 438 *P*
Bowker T *see* Davies S *et al*
Bowles N E *see* Archard L C *et al*
Boyd E *see* Rosenthal E *et al*
Boys R J *see* Robson S C *et al*
Bray C L *see* Molajo A O *et al*
Brembilla-Perrot B (& de la Chaise A T, Pichené M, Aliot E, Cherrier F, Pernot C) Isoprenaline as an aid to the induction of catecholamine dependent supraventricular tachycardias during programmed stimulation 348
Brender D *see* Smith R *et al*
Bresnahan D R *see* Bell M R *et al*
Bridges A *see* McMurray J *et al*
Brigden G *see* DasGupta P *et al*
Bristow J D *see* Conway M *et al*
British Cardiac Society autumn meeting, London, 22 to 24 November 1988, proceedings, 71
British Cardiac Society 68th Annual General Meeting, Oxford, 6 and 7 April 1989, proceedings, 435
Britton K *see* Levy R D *et al*
Broadhurst P (& Cashman P, DasGupta P, Lahiri A, Raftery E B) Comprehensive validation of the Cardioscint: a system for continuous monitoring of left ventricular function 465 *P*
— *see also* Lahiri A *et al*
Brook S *see* Gehani A A *et al*
Brooks S G (& Hamilton J R L, Dickinson D, Wilson N, Walker D R) Sinus venosus atrial septal defect: investigation and repair 89 *P*
Brown A M *see* Higham P D *et al*
Brown M J *see* Hall J A *et al*
Bryan A J (& Angelini G D, Williams H M J, Newby A C) Distension during surgical preparation reduces short term patency in a pig model of arteriovenous bypass grafting 464 *P*
— *see also* Angelini G D *et al*
Buchalter M B (& Weiss J L, Rogers W J, Zerhouni E A, Weisfeldt M L, Shapiro E P) Human left ventricular twist: measurement by magnetic resonance tagging 112 *P*
Buckels J *see* O'Kane H *et al*
Bucknall C (& Sulke N, Karani S, Sowton E) Initiation and termination windows in tachycardia: reproducible in the long term? 468 *P*
— *see also* Henderson R A *et al*
Bucknall S *see* Sulke N *et al*
Bull *see* Kilner P J *et al*
Sullivan I D *et al*
Bull T *see* Keogh B E *et al*
Bullock R E *see* Peart I *et al*
Burke E (& McAleer B, McElhinney K, Ruane B, Williams J R, Varma M P S) Comparative one year mortality in patients treated with thrombolytic treatment at home and in the coronary care unit 72 *P*
— — — — — — Thrombolytic treatment in cardiogenic shock 88 *P*
Burns J M A (& Hogg K J, Hillis W S, Dunn F G) Endocarditis in intravenous drug abusers with staphylococcal septicaemia 356
— — Rae A P, Hillis W S, Dunn F G) Impact of a policy of direct admission to a coronary care unit on use of thrombolytic treatment 322
Burrell C J (& Blake D R) Reactive oxygen metabolites and the human myocardium: editorial 4

— (& Kitney R I, Straughan K, McDonald A H, Rothman M T) Intravascular three dimensional imaging of arteries: a novel ultrasound system 476 *P*
— *see also* Nouriel H *et al*
Skehan J D *et al*
Bush A *see* Carvalho J *et al*
Busst C *see* Carvalho J *et al*
Butrous G S (& Kaye G, Camm A J) Autonomic regulation of pre-excitation induced by respiration 473 *P*
— *see also* Garratt C J *et al*
Byrne P J *see* Robertson M A *et al*

Caporio A (& McKenna W J, Bonifacio E, Frenneaux M P, Bosi E, Bottazzo G F) Novel cardiac specific circulating autoantibodies in dilated cardiomyopathy 73 *P*
— — — Wagner R, Gill R, Bosi E, Bottazzo G F) Circulating autoantibodies against "myoendocrine" cells in patients with autoimmune polyendocrinopathy and systemic hypertension 457 *P*
Caporio A L P *see* Frenneaux M P *et al*
Caidahl K *see* Blomström-Lundqvist C *et al*
Campbell N P S *see* Flannery D J *et al*
McNeill A J *et al*
Campbell R W F *see* Dougeni-Christacou V *et al*
Camm A J *see* Butrous G S *et al*
Cripps T *et al*
de Belder M A *et al*
Farrell T *et al*
Garrett C J *et al*
Griffith M J *et al*
Leech G *et al*
Mehta D *et al*
Paul V E *et al*
Wafa S S *et al*
Canning G P *see* Northcote R J *et al*
Cant J *see* Baig M W *et al*
Capone R J *see* Boden W E *et al*
Cardinal R *see* Shenasa M *et al*
Carey C M *see* Skehan J D *et al*
Carvalho J (& Busst C, Bush A, Lincoln C R, Rigby M L, Shinebourne E A) Mustard's operation: long term haemodynamics in symptom free children and balloon dilatation for systemic venous obstruction 90 *P*
Carvalho J S (& Rigby M L, Shinebourne E A, Anderson R H) Cross sectional echocardiography for recognition of ventricular topology in atrioventricular septal defect 285
Cashman P *see* Broadhurst P *et al*
Lahiri A *et al*
Caunt J *see* Lahiri A *et al*
Chaise A T de la *see* de la Chaise A T
Chakrabarty S (& Thomas P, Williams T, Sheridan D J) Influence of platelets on extent of myocardial infarction during coronary artery occlusion 78 *P*
Chambers J B (& Sampson M J, Sprigings D C, Jackson G) QT prolongation in diabetic autonomic neuropathy 97 *P*
— *see also* Monaghan M J *et al*
Sprigings D C *et al*
Chan K C *see* Clark D J *et al*
Chan-wah-hak N S *see* Metcalfe M J *et al*
Chen Z (& Collins R, Peto R, MacMahon S, Li W) The relations of serum cholesterol, blood pressure, and smoking habit to coronary heart disease in a population with low mean concentrations of serum cholesterol 460 *P*
Cherrier F *see* Brembilla-Perrot B *et al*
Chesebro J H *see* Penny W J *et al*
Chester A H *see* Dashwood M R *et al*
Child A H *see* Henney A M *et al*
Chopra M *see* McMurray J *et al*
Chow S s: Hunt A C *et al*
Chow W H *see* Morgan J M *et al*
Christacou V Dougeni- *see* Dougeni-Christacou V
Christensen N J *see* Kelbæk H *et al*
Christie J *see* Cunningham D *et al*
Findlay I N *et al*
Clague J C *see* Morgan J M *et al*
Clark D J (& Chan K C, Gibbs J L) Propranolol induced bradycardia in tetralogy of Fallot: case report 378
Clayton-Jones D G *see* Pattison C W *et al*
Cleland J *see* O'Kane H *et al*
Cleland J F (& Sharabani R, Shahi M, Goldin R D, Foale R A) An immunological marker for alcohol related myocardial disease 113 *P*
Cobbe S M *see* Al-Riyami A *et al*
Hicks M & Cobbe CM
Pye M *et al*
Rankin A C *et al*
Cochrane T *see* Sprigings D C *et al*
Codd M B (& Sugrue D D, Gersh B J, Melton L J) Epidemiological features of the idiopathic cardiomyopathies: a population based study 80 *P*
— *see also* Sugrue D D *et al*
Coghlan J G (& Madden B, Norell M S, Ilsley C, Mitchell A G) The influence of pacing rate on QT shortening with exercise 469 *P*
Colchester A F C *see* de Belder M A *et al*
Nevin M *et al*
Coleman E N *see* Houston A B *et al*
Coles G A *see* Lewis N P *et al*
Collins R (& Peto R, Sleight P for the ISIS Collaboration Group) ISIS-2: a large randomised trial of intravenous streptokinase and oral aspirin in acute myocardial infarction 71 *P*
— *see also* Chen Z *et al*
MacMahon S *et al*
Colvin P *see* Withington P S *et al*
Conroy R *see* O'Sullivan J J *et al*
Conway M (& Bristow J D, Blackledge M J, Rajagopalan B, Radda G K) Non-invasive measurement of phosphorus metabolism in the human heart during exercise by phosphorus-31 magnetic resonance spectroscopy 104 *P*
— *see also* Arnolda L *et al*
Conway M A (& Soper N, Shepstone B, Ledingham J G G, Sleight P) Exercise renography in patients with heart failure 80 *P*
Conway N *see* Smyllie J *et al*
Cook D G (& Shaper A G) Breathlessness, lung function, and risk of heart attack 122 *P*
— — Using the Rose angina questionnaire 114 *P*
— *see also* Whincup P H *et al*
Cooper I C (& Fry C H, Webb-Peploe M M) Myocardial hypertrophy and mechanical restitution in isolated human myocardium 112 *P*
— *see also* Katritsis D *et al*
Cooper S G *see* Sullivan I D *et al*
Correction 484
Counihan P J (& Frenneaux M P, O'Donoghue A, Webb D, McKenna W J) Abnormal peripheral vascular response in hypertrophic cardiomyopathy in relation to clinical and prognostic features 456 *P*
— *see also* Frenneaux M P *et al*
Court D S *see* Gershlick A H *et al*
Court D Syndercombe- *see* Syndercombe-Court D
Cowan J C *see* Baig M W *et al*
Cowley M L *see* Skehan J D *et al*
Cox A *see* Banner N R *et al*
Craig M *see* Finley J P *et al*
Crake T *see* Nadazdin A *et al*
Crawley J *see* Lahiri A *et al*
Crea F (& Pupita G, Galassi A R, El-Tamimi H, Kaski J C, Davies G, Maseri A) Adenosine and angina pectoris 455 *P*
— *see also* Kaski J C *et al*
Keogh B E *et al*
Pupita G *et al*

CREAMER J E (& Edwards J D, Nightingale P) Monitoring oxygen transport in cardiogenic shock 445 *P*

CREAN P *see* Black F *et al*

CRIPPS T (& Camm A J, Ward D E) Comparative value of clinical and electrophysiological variables in the prediction of arrhythmic events after myocardial infarction 83 *P*

— (& Frenneaux M, Camm A J, McKenna W J) Prediction of life threatening arrhythmias in hypertrophic cardiomyopathy using high gain, signal averaged electrocardiography 124 *P*

— *see also* Farrell T *et al*

CRIPPS T C *see* Farrell T G *et al*

CROAL S *see* McKeown P *et al*
McKeown P P *et al*

CROMBIE I K (& Kenicer M B, Smith W C S, Tunstall-Pedoe H D) Unemployment, socioenvironmental factors, and coronary heart disease in Scotland 172

CROSSMAN D C (& Larkin S W, Dashwood M, Davies G J, Yacoub M, Maseri A) Atherosclerotic human coronary vessels preserve a dilator response to substance P in vivo 455 *P*

CROWTHER A *see* Katritsis D *et al*

CUMBERLAND D C *see* Bowes R J *et al*

CUMMING D *see* Pattison C W *et al*

CUNNINGHAM D (& Kennedy J, Rowland E, Christie J, Rickards A) One hundred and thirty-three cases of spontaneous atrial flutter: electrophysiological characteristics and factors affecting successful conversion 123 *P*

CUNNINGHAM S R *see* Dalzell G W N *et al*
McNewill A J *et al*

CURRIE P (& Saltissi S) Ambulatory ST segment deviation after acute myocardial infarction: implications for exercise ischaemia and left ventricular function 454 *P*

CURRY P *see* Rosenthal E *et al*

CURRY P V L *see* Najm Y C *et al*
Priestley K *et al*
Priestley K A *et al*
Rosenthal E *et al*

DAELE M VAN *see* van Daele M

DAELE M E R M VAN *see* van Daele M E R M

DAHAN S *see* Taha T H *et al*

DALZELL G W N (& Cunningham S R, Anderson J, Adgey A A J) Initial experience with a microprocessor controlled current based defibrillator 502

— *see also* Dickey W A *et al*
McKeown P P *et al*
McNeill A J *et al*

DAMBRINK J-H E *see* Parameshwar J *et al*

DANIEL W *see* Sutherland G R *et al*

DARGIE H *see* Dominiczak A *et al*
McAlpine H *et al*
Polonia J J *et al*

DARGIE H J *see* Findlay I N *et al*
Northridge D B *et al*

DAS S K *see* Stewart R A *et al*

DASGUPTA P (& Brigden G, Ramhamdany E, Lahiri A, Baird I, Raftery E B) Improvement of subclinical left ventricular dysfunction on obese subjects after weight loss 101 *P*

— *see also* Broadhurst P *et al*

DASHWOOD M *see* Crossman D C *et al*

DASHWOOD M R (& Chester A H, Sykes R M, Yacoub M H) Autoradiographic localisation of (125_I) endothelin binding sites in human coronary artery: changes in ischaemic heart disease 440 *P*

DAVIES D W (& Barin F S, Wong C Y, Levy R D, Nathan A W) Are haemodynamic changes during ventricular tachycardia useful in treatment? 466 *P*

— *see also* Ratnatunga C P *et al*

DAVIES E *see* Flapan A D *et al*

DAVIES G *see* Crea F *et al*

DAVIES G J *see* Andreotti F *et al*
Crossman D C *et al*
El-Taminni H *et al*
Keogh B E *et al*
Khan M I *et al*

DAVIES M J Successful and unsuccessful coronary thrombolysis: editorial 381

— *see also* de Belder M A *et al*
Keogh B E *et al*
McKenna W J *et al*
Mehta D *et al*

DAVIES M K *see* Fox J P *et al*
Shaw T R D *et al*

DAVIES S (& Gardener J, Bowker T, Timmis A, Balcon R) Haemodynamic assessment of mitral stenosis in the presence of atrial fibrillation 116 *P*

— (& Keegan J, Wilkinson P, Bailey J, Timmis A, Wedzicha J, Rudd R) Decreased pulmonary microvascular permeability in patients with severe mitral stenosis 91 *P*

— (& Marchant B, Lyons J, Timmis A, Rothman M, Layton C, Balcon R) Coronary lesion morphology in patients with acute myocardial infarction treated with streptokinase 72 *P*

— (& Underwood S, Wickens D, Feneck R, Walesby R, Dormandy T) Comparative lack of free radical generation by the myocardium during cardiac surgery 78 *P*

— *see also* Norell M S *et al*

DAVIES S W (& Bailey J, Keegan J, Lipkin D P, Balcon R, Rudd R) Pulmonary capillary permeability in chronic left heart failure 477 *P*

— (& Emery T M, Watling M I L, Lipkin D P) Critical level of exercise capacity determines the hyperventilation response to exercise in chronic heart failure 436 *P*

— — — (Macfarlane D, Shaper A G, Lipkin D P) Fitness and coronary risk factors 444 *P*

— (& Greig C, Jordan S L, Grieve D W, Lipkin D P) Inefficient gait contributes to reduced exercise capacity in chronic heart failure 437 *P*

— (& Jordan S L, Lipkin D P) Dyspnoea on exercise in chronic heart failure is dissociated from hyperventilation 443 *P*

— (& Marchant B, Lyons J P, Timmis A D, Layton C, Rothman M T, Balcon R) Coronary lesions after thrombolysis: irregularity predicts need for urgent intervention 452 *P*

— (& Wedzicha J A, John L M E, Balcon R, Lipkin D P) Hypoxia, myocardial ischaemia, and arrhythmias during sleep in chronic heart failure 458 *P*

DAWKINS K *see* Smyllie J *et al*

DAWSON J R (& Gibson D G) Left ventricular filling and early diastolic function at rest and during angina in patients with coronary artery disease 248

DEANFIELD J E *see* Franklin R C G *et al*
Sullivan I D *et al*

DE BELDER M *see* Khan B *et al*

DE BELDER M A (& Hawkes D J, Norbury R N, Colchester A F C, Davies M J, Camm A J) Densitometric angiographic assessment of normal and diseased coronary arteries: validation of technique 115 *P*

— (& Leech G, Camm A J) Transoesophageal echocardiography: method of choice to visualise left atrial pathology 478 *P*

— (& Skehan J D, Pumphrey C W, Evans S J W, Rothman M T, Mills P G) Collateral vessels after infarction: association with left ventricular damage and coronary disease, and influence on exercise testing and clinical outcome 83 *P*

— *see also* Leech G *et al*
Skehan J D *et al*

DE FEYTER P J *see* Beatt K J *et al*

DE GIOVANNI J V *see* Salmon A P *et al*

DE LA CHAISE A T *see* Brembilla-Perrot B *et al*

DELEVAL M R *see* Kilner P J *et al*

DE MEDINA E O ROBLES *see* Robles de Medina E O

DE MEY C (& Belz G G) Pitfalls and limitations in the use of impedance cardiography: correspondence 128

DER LIPPE G VON *see* von der Lippe G

DEVERALL P *see* Rosenthal E *et al*
DEVERALL P B *see* Ladusans E J *et al*
Parsons J M *et al*
DEVEREUX R B *see* Henney A M *et al*
DEVLIN B D *see* Flannery D J *et al*
DHALLA N *see* Aranki S *et al*
DICKEY W (& Khan M M, Adgey A A J) Electrophysiological study of survivors outside hospital from ventricular arrhythmias unassociated with acute myocardial infarction 118 *P*
DICKEY W A (& Dalzell G W N, Magee W H, Beggs O, Bailey A, Anderson J, Adgey A A J) Accuracy of a semiautomatic defibrillator during cardiac arrests 98 *P*
DICKIE S *see* McKenna W J *et al*
DICKINSON D *see* Brooks S G *et al*
DICKINSON D F *see* Qureshi S A *et al*
DILLY S G *see* Northridge D B *et al*
DILTIAZEM REINFARCTION STUDY RESEARCH GROUP *see* Boden W E *et al*
DOHERTY J D Electrophysiological changes in an animal model of experimental chronic cardiac failure 104 *P*
DOIG W B *see* Houston A B *et al*
DOLECKI M *see* Arnolda L *et al*
DOMINICZAK A (& Morton J, Dargie H, Semple P) Association between blood pressure, left ventricular mass and free cytosolic calcium in primary hyperparathyroidism and essential hypertension 104 *P*
DORMANDY T *see* Davies S *et al*
DOUGENI-CHRISTACOU V (& Dougenis D, Tai Y T, McComb J, Campbell R W F) Hospital mortality of ventricular tachycardia and fibrillation 125 *P*
DOUGENIS D *see* Dougeni-Christacou V *et al*
DUBUC M *see* Shenasa M *et al*
DUNN F G *see* Burns J M A *et al*
Hoff K J *et al*
DUNN M J *see* Pattison C W *et al*
DYKE L *see* Levy R D *et al*
DYKE L J *see* Wiseman M N *et al*
DYMOND D S *see* Levy R D *et al*
Wiseman M N *et al*

EDMONDSON S J *see* Ratnatunga C P *et al*
EDWARDS C R W *see* Flapan A D *et al*
EDWARDS D *see* Virginia M *et al*
EDWARDS J D *see* Creamer J E *et al*
ELBORN J S (& Stanford C F, Nicholls D P) Effect of flosequinan on exercise capacity and symptoms in severe heart failure 331
ELL P J *see* Mittal R B *et al*
Underwood S R *et al*
ELSTOB J *see* Levy R D *et al*
EL-TAMIMI H (& Hackett D, Davies G J, Larkin S, Maseri A) Can exercise testing predict restenosis after coronary angioplasty? 95 *P*
— *see also* Crea F *et al*
EMANUEL R W *see* Underwood S R *et al*
EMERY T M *see* Davies S W *et al*
ENGBERDING R *see* Sutherland G R *et al*
ERBEL R *see* Sutherland G R *et al*
ESCANADE J *see* Hunt A C *et al*
ESPEJO R *see* Wharton J *et al*
ESSOP A R *see* Shaw T R D *et al*
EVANS B, WILLIAM EVANS; Obituary 68
EVANS S J W *see* de Belder M A *et al*

FALK E *see* Andersen H R *et al*
FARRELL T (& Cripps T, Camm A J, Ward D E) Prognostic value of heart rate variability after myocardial infarction 121 *P*
FARRELL T G (& Cripps T C, Paul V, Camm A J) Baroreceptor sensitivity in patients after infarction correlation with electrophysiological studies 472 *P*
FAXON D P *see* Glazier J J *et al*
FEITH F *see* Rees M R *et al*
FENECK R *see* Davies S *et al*

FEYTER P J DE *see* de Feyter P J
FINDLAY I N (& Northridge D, Wilson J T, Henderson E, Christie J, Dargie H J) Non-invasive measurement of cardiac output during acute myocardial infarction by electrical bioimpedance cardiography 444 *P*
— *see also* Northridge D B *et al*
FINLEY J P (& Nugent S T, Hellenbrand W, Craig M, Gillis D A) Sinus arrhythmias in children with atrial septal defect: an analysis of heart rate variability before and after surgical repair 280
FIRMIN D N *see* Mohiaddin R H *et al*
FISCH C *see* Meijler F L & Fisch C
FITZGERALD M *see* Aravot D *et al*
FITZPATRICK A (& Theodorakis G, Travill C, Sutton R) Incidence of malignant vasovagal syndrome in 332 syncopal patients: results of cardiac pacing 97 *P*
FLANNERY D J (& Devlin B D, Campbell N P S) Pulsed Doppler assessment of left ventricular diastolic function in acute myocardial infarction 466 *P*
— *see also* McNeill A J *et al*
FLAPAN A D (& Davies E, Williams B C, Edwards C R W, Shaw T R D) Captopril does not potentiate the action of loop diuretics in patients with cardiac failure 87 *P*
FLEMING J S *see* Bowes R J *et al*
FOALE R A *see* Cleland J F *et al*
Keogh B E *et al*
Nadazdin A *et al*
FOLEY B *see* Black F *et al*
FORFAR J C *see* McCance A J & Forfar J C
FORSYTH A *see* Bergman G *et al*
FOX J P (& Beattie J M, Salih M S, Davies M K, Littler W A, Murray R G) Functional and angiographic comparison of symptomatic and silent ischaemia 436 *P*
— (& Murray R G, Beattie J M, Salih M, Davies M K, Littler W A) Characteristics and prognosis of non-Q wave myocardial infarction 122 *P*
FOX K *see* Mulcahy D *et al*
FOX K A A (& Robison A K, Bergmann S R) Inhibition of coronary thrombosis with low dose tissue plasminogen activator (t-PA): the potential for modifications of endogenous t-PA activity 73 *P*
— *see also* Lewis N P *et al*
FRAGOMENI L S *see* Bonser R S *et al*
FRANCIOSI J *see* Ladusans E J *et al*
FRANKLIN R C G (& Sullivan I D, Anderson R H, Deanfield J E) Is pulmonary artery banding obsolete for double inlet ventricle and tricuspid atresia? 479 *P*
FRANKLYN J A *see* Gammage M D *et al*
Heagerty A M *et al*
FRASER A G (& van Herwerden L, van Daele M E R M, Bos E, Roelandt J R T C, Sutherland G R) The relative values of intraoperative epicardial and transoesophageal echocardiography in mitral valve repair 451 *P*
— *see also* Mulligan I P *et al*
FREEDOM R M *see* Ino T *et al*
Koike K *et al*
Leung M P *et al*
FREEKE C *see* Archard L C *et al*
FRENCH W J *see* Haskell R J & French W J
FRENNEAUX M *see* Cripps T *et al*
Karatasakis G *et al*
FRENNEAUX M P (& Counihan P J, Webb D, McKenna W J) Evidence for an abnormal vasodilator response in hypertrophic cardiomyopathy 74 *P*
— (& Lowe T, Lipkin D P, McKenna W J) Objective assessment of exercise capacity in hypertrophic cardiomyopathy: association with clinical and prognostic features 75 *P*
— (& Porter A, Caforio A L P, Odawara H Counihan P J, McKenna W J) Rise in left atrial pressure does not limit exercise capacity in patients with hypertrophic cardiomyopathy 118 *P*
— *see also* Alfonso F *et al*
Caforio A *et al*
Counihan P J *et al*

FRY C H *see* Cooper I C *et al*
FUJIWARA H *see* Onodera T *et al*
FURNISS S S *see* Robson S C *et al*
FUSTER V *see* Penny W J *et al*

GALASSI A R *see* Crea F *et al*
Pupita *et al*
GALVIN I *see* O'Kane H *et al*
GAMMAGE M D (& Franklyn J A, Green N K, Sheppard M C) Myocardial proto-oncogene expression and effects of thyroid state 441 *P*
— *see also* Heagerty A M *et al*
GARDENER J *see* Davies S *et al*
GARRATT C J (& Antoniou A, Griffith M J, Ward D E, Camm A J) Unmasking of latent pre-excitation: efficacy of adenosine and vagal manoeuvres in sinus rhythm 467 *P*
— (& Griffith M J, Butrous G S, Ward D E, Camm A J) Pre-excitation induced by exercise: association with anteroseptal accessory atrioventricular connections that are sensitive to adenosine and verapamil 475 *P*
— *see* Paul V E *et al*
GEHANI A A (& Latif A B, Ashley S, Brook S, Ball S G, Rees M R) Dynamic angioplasty in normal and abnormal coronary arteries 85 *P*
—*see also* Rees M R *et al*
GERLIS L M (& Ho S Y) Anomalous subaortic position of the brachiocephalic (innominate) vein: a review of published reports and report of three new cases 540
GERSH B J *see* Codd M B *et al*
Sugrue D D *et al*
GERSHLICK A *see* Balcon R *et al*
GERSHLICK A H (& Court D S, Timmis A, Rothman M, Layton C, Balcon R) Transcardiac changes in platelet function before and after angioplasty 83 *P*
— (& Syndercombe-Court A D, Timmis A D, Rothman M T, Layton C, Balcon R) Can epoprostenol (prostacyclin) infusion during coronary angioplasty prevent adverse changes in platelet function? 461 *P*
GEUSKENS R *see* Beatt K J *et al*
Sutherland G R *et al*
GEWILLIG M *see* Kilner P J *et al*
GHOSH P *see* Nihoyannopoulos P *et al*
GIBBS J L *see* Clark D J *et al*
GIBSON D *see* Vancheri F & Gibson D
GIBSON D G *see* Dawson J R & Gibson D G
Luke R A *et al*
GIBSON R S *see* Boden W E *et al*
GILL R *see* Caforio A *et al*
GILLBE C E *see* Luke R A *et al*
GILLIGAN D *see* Moore D P *et al*
GILLIS D A *see* Finley J P *et al*
GILMOUR S *see* Mehta D *et al*
GIOVANNI J V DE *see* De Giovanni J V
GLADSTONE D *see* O'Kane H *et al*
GLAZIER J J (& Varrichione T R, Ruocco N A, Jacobs A, Ryan T J, Faxon D P) Importance of precedural factors in the development of recurrent restenosis after coronary balloon angioplasty 94 *P*
— — (Ryan T J, Ruocco N A, Jacobs A, Faxon D P) Management and outcome of patients with recurrent restenosis after coronary balloon angioplasty 95 *P*
— — — — — — — Outcome in patients with recurrent restenosis after percutaneous transluminal balloon angioplasty 485
GODTFREDSEN J *see* Kelbæk H *et al*
GOLDIN R D *see* Cleland J F *et al*
GOLDSPINK G *see* Pattison C W *et al*
GOMEZ P (& Nihoyannopoulos P, Joshi J, Loizou S, Walport M, Oakley C) Cardiac abnormalities in systemic lupus erythematosus: association with raised cardiolipin antibodies 80 *P*
GOODWIN J F *see* McKenna W J *et al*
GOUDEVENOS J (& Been M, Williams D) Serial angiographic findings during the development of a saccular aneurysm of the coronary artery in association with unstable angina: case report 372
GOY J-J (& Kappenberger L, Turina M) Wolff-Parkinson-White syndrome after transplantation of the heart: case report 368
GRAHAM T R *see* Withington P S *et al*
GRAHAME-SMITH D G *see* Pugh S E *et al*
GRAY H H *see* Morgan J M *et al*
GREEN N K *see* Gammage M D *et al*
Heagerty A M *et al*
GREENBERG G *see* Thompson S G *et al*
GREIG C *see* Davies S W *et al*
GRIEVE D W *see* Davies S W *et al*
GRIFFIN S (& Pugsley W, Treasure T) Middle cerebral artery microembolism: a comparison of bubble oxygenator with arterial line filter and membrane oxygenator alone 449 *P*
GRIFFITH M J (& Linker N J, Micklewright J, Ward D E, Camm A J) Simplification of the diagnosis of broad complex tachycardia by multivariate analysis 475 *P*
— (& Linker N J, Ward D E, Camm A J) Comparative efficacy and safety of adenosine, lignocaine, disopyramide, flecainide, and sotalol in the determination of ventricular tachycardia 123 *P*
—— *see also* Garrett C J *et al*
GRIMM J *see* Jenni R *et al*
GUSSENHOVEN E J *see* Sutherland G R *et al*
GUSSENHOVEN W J *see* Sutherland G R *et al*
Taams M A *et al*
GUZ A *see* Banner N R *et al*

HACKETT D *see* El-Tamimi H *et al*
Kaski J C *et al*
Khan M I *et al*
HAK N S CHAN-WAH- *see* Chan-Wah-Hak NS
HALL A *see* Peart I *et al*
HALL J A (& Petch M C, Brown M J) Intracoronary injections of salbutamol show the presence of beta$_2$ adrenoreceptor mediated activity in the human heart 108 *P*
HALL R J C *see* Ikram S *et al*
Peart I *et al*
HALSON P *see* Kaski J C *et al*
Khan M I *et al*
HAMILTON J *see* Andreotti F *et al*
HAMILTON J R L *see* Brooks S G *et al*
HAMILTON R D *see* Banner N R *et al*
HAMPTON J R *see* Wilcox R G *et al*
HANDLER C E (& Livesey S, Lawton P A) Coronary ostial stenosis after radiotherapy: angioplasty or coronary artery surgery? case report 208
HANRATH P *see* Sutherland G R *et al*
HARRISON M *see* Pugsley W *et al*
Venn G E *et al*
HART H *see* White H D *et al*
HASKELL R J (& French W J) Physiological importance of different atrioventricular intervals to improved exercise performance in patients with dual chamber pacemakers 46
HATLE L *see* Samstad S O *et al*
HAUER R N W (& Robles de Medina E O, Kuijer P J, Westerhof P W) Electrode catheter ablation for ventricular tachycardia: efficacy of a single cathodal shock 38
HAWKES D J *see* de Belder M A *et al*
HAWORTH S G *see* Hislop A A *et al*
HAYWARD R *see* Taggart P *et al*
HAZEKAMP M *see* Angelini G *et al*
HEADS A *see* Robson S C *et al*
HEAGERTY A M (& Green N K, Maciver D H, Franklyn J A, Gammage M D) Inositol phosphate production and proto-oncogene expression in left ventricle after the induction of coarctation hypertension in the rat 440 *P*
HEGRENAES L *see* Samstad S O *et al*
HELLENBRAND W *see* Finley JP *et al*
HENDERSON A H *see* Mulligan I P *et al*

HENDERSON E *see* Findlay I N *et al*
HENDERSON R A (& Karani S, Bucknall C, Sowton E) Long term clinical results after successful coronary angioplasty in multivessel disease 438 *P*
—— (& Karani S, Pipilis A, Bucknall C, Timmis A D, Sowton E) Long term clinical follow up after coronary angioplasty for single vessel disease 95 *P*
HENNEY A M (& Tsipouras P, Schwartz R C, Child A H, Devereux R B, Leech G J) Genetic evidence that mutations in the COL1A1, COL1A2, COl3A1, or COL5A2 collagen genes are not responsible for mitral valve prolapse 292
HERAS M *see* Penny W J *et al*
HERLITZ J (& Hjalmarson Å, Waagstein F) Treatment of pain in acute myocardial infarction: review 9
HERWERDEN L VAN *see* van Herwerden L
HESS J *see* Sutherland G R *et al*
HICKS M (& Cobbe S M) Effects of sotalol on the rate of accumulation of extracellular potassium in ischaemic myocardium 442 *P*
HIGHAM P D (& Bleasdale C, Brown A M, Saltissi S, Jackson M J, Hind C R K) Circulating concentrations of free radicals in patients with myocardial infarction 454 *P*
HILLIS W S *see* Burns J M A *et al*
Hogg K J *et al*
HILTON C *see* Ikram S *et al*
HIND C R K *see* Higham P D *et al*
HIRZEL H O *see* Jenni R *et al*
HISLOP A A (& Odom N, McGregor C G A, Haworth S G) Growth potential of the immature transplanted rat lung 82 *P*
HJALMARSON Å *see* Herlitz J *et al*
HO S Y *see* Barin E S *et al*
Gerlis L M and Ho S Y
HODSMAN G P *see* Phillips P A *et al*
HOGG K J (& Lees K R, Hornung R S, Howie C A, Dunn F G, Hillis W S) Electrocardiographic evidence of myocardial salvage after thrombolysis in acute myocardial infarction 489
— *see also* Burns J M A *et al*
HOLDER R *see* Salmon A P *et al*
HOLMES D R *see* Bell M R *et al*
Penny W J *et al*
HOLMES K M *see* Robson R H *et al*
HONG R *see* Bhandari A K *et al*
HONGO M *see* Kinoshita O *et al*
HOPKINS N *see* Andreotti F *et al*
HORNUNG R S *see* Hogg K J *et al*
HOROWITZ J *see* Phillips P A *et al*
HOUSTON A B (& Lim M K, Coleman E N, Doig W B, Reid J M) Impact of colour Doppler flow mapping on the assessment of congenital heart disease 120 *P*
HOWIE C A *see* Hogg K J *et al*
HUDSON N *see* Pappageorgio G L *et al*
HUGHES L (& Lahiri A, Raftery E B) Coronary disease in Asians associated with high insulin and C-peptide concentration 445 *P*
HUGHES L O (& Raval U, Raftery E B) Early coronary atherogenesis and myocardial infarction in Asians: a problem of glucose metabolism 78 *P*
HUNT A C (& Escanade J, Chow S, Beattie J, Shiu M F) Complication rates of single and multiple vessel coronary angioplasty in multivessel coronary artery disease 440 *P*
HUNT A E *see* Seth A *et al*
HUNT A G (& Seth A, Perry R A, Lowry P, Shiu M F) Use of Doppler echocardiography in determination of left ventricular dP/dt max 116 *P*
HUNTER D *see* John R M *et al*
HUNTER S *see* Qureshi S A *et al*
Sreeram N *et al*
Sullivan I D *et al*
Wren C & Hunter S
HUTTON I *see* McGhie I *et al*
Pye M *et al*
Tweddel A *et al*
Tweddel A C *et al*
HUYSMANS H *see* Angelini G *et al*

IKEDA S-I *see* Kinoshita O *et al*
IKRAM S (& Maire R, Lewis P A, Odemuyiwa O, Lo S V, Hilton C, Hall R J C) Tricuspid regurgitation and pulmonary artery pressure five years after implantation of mitral bioprostheses 450 *P*
ILSLEY C *see* Coghlan J G *et al*
INGRAM D *see* Ambepityia G *et al*
INNES J A *see* Banner N R *et al*
INO T (& Benson L N, Mikalian H, Freedom R M, Rowe R D) Determination of left ventricular volumes by Simpson's rule in infants and children with congenital heart disease 182
INOUE H *see* Toda I *et al*
ISHIDA M *see* Onodera T *et al*

JAARSMA W *see* Sutherland G R *et al*
JACKSON G *see* Akhras F & Jackson G
Bergman G *et al*
Chambers J B *et al*
Jewitt D *et al*
Monaghan M J *et al*
Sprigings D C *et al*
Wordsworth P *et al*
JACKSON M J *see* Higham P D *et al*
JACOBS A *see* Glazier J J *et al*
JACOBS A K *see* Glazier J J *et al*
JAIN D (& Lahiri A, Raval U, Smith T, Raftery E B) Do reciprocal electrocardiographic changes in acute Q wave myocardial infarction represent additional ischaemia or necrosis? 471 *P*
JAMES M A Role of wall stress in the pathogenesis of ventricular arrhythmia 105 *P*
JAMIESON S W *see* Bonser R S *et al*
JARRIT P H *see* Mittal R B *et al*
JENNI R (& Ritter M, Viele A, Hirzel H O, Schmid E R, Grimm J, Turina M) Determination of the ratio of pulmonary blood flow to systemic blood flow by derivation of amplitude weighted mean velocity from continuous wave Doppler spectra 167
JENNINGS K *see* Metcalfe M J *et al*
JENSSEN G *see* Wilcox R G *et al*
JEWITT D (& Meany B, Thomas S, Monaghan M, Jackson G) Balloon dilatation of the mitral valve by double and single balloon techniques 91 *P*
JEWITT D E *see* Bergman G *et al*
Monaghan M J *et al*
JOHN L M E *see* Davies S W *et al*
JOHN R *see* Mittal R B *et al*
Taggart P *et al*
JOHN R M (& Hunter D, Swanton R H) Cardiac abnormalities in patients with type IV mucopolysaccharidosis: Morquio syndrome 450 *P*
— (& Pugsley W, Treasure T, Sturridge M F, Swanton R H) Aortic root abscess complicating aortic valve endocarditis 93 *P*
JOHNSTON C I *see* Phillips P A *et al*
JONES D G CLAYTON *see* Clayton-Jones D G
JONES N B *see* Pappageorgio G L *et al*
JONES S *see* Till J A *et al*
JORDAN S L *see* Davies S W *et al*
JOSEPH S Correcting a block?: successful experience of a small British pacing centre: correspondence 212
JOSHI J *see* Gomez P *et al*
Kambouroglou D *et al*
Nihoyannopoulos P *et al*

KAHALY S MOHR- *see* Mohr-Kahaly S
KALTENBRUNNER W *see* Shenasa M *et al*
KAMBOUROGLOU D (& Joshi J, Nadazdin A, Karatasakis G, Smith P, Nihoyannopoulos P) What is normal function of an artificial

valve? A colour and continuous wave Doppler assessment 126 *P*
— *see* Nihoyannopoulos P *et al*
KAMEDA T *see* Toyama M *et al*
KAMP O *see* Beatt K J *et al*
KAPPENBERGER L *see* Goy J-J *et al*
KARANI S *see* Bucknall C *et al*
Henderson R A *et al*
Sulke N *et al*
KARATASAKIS G (& Nihoyannopoulos P, Frenneaux M, McKenna W J, Stewart R, Oakley C) Are Doppler diastolic indices associated with functional capacity in patients with hypertrophic cardiomyopathy? 100 *P*
— *see also* Kambouroglou D *et al*
KASKI J C (& Maseri A, Vejar M, Halson P, Crea F, Hackett D) Spontaneous coronary spasm in variant angina results from a local coronary hyperreactivity to a generalised constrictor stimulus 456 *P*
— *see also* Crea F *et al*
Pupita G *et al*
KATRITSIS D (& Lythall D A, Crowther A, Copper I C, Webb-Peploe M M) Comparison of visual estimation, measurement by hand held calipers, automated digital quantifications, for the assessment of results of percutaneous transluminal coronary angioplasty 85 *P*
— *see also* Smith L D R *et al*
KAWAHARA T *see* Toda I *et al*
KAWAI C *see* Onodera T *et al*
KAWAKUBO K *see* Toda I *et al*
KAWAMURA A *see* Onodera T *et al*
KAYE G *see* Butrous G S *et al*
KAYE M P *see* Bonser R S *et al*
KEEGAN J *see* Davies S *et al*
KEEGAN J *see* Davies S W *et al*
Mulcahy D *et al*
KEENAN D J M *see* Price C & Keenan D J M
KEETON B R *see* Balaji S *et al*
KELBÆK H (& Munck O, Christensen N J, Godtfredsen J) Central haemodynamic changes after a meal 506
KELLY C *see* Peart I *et al*
KENIGER M E *see* Crombie I K *et al*
KENNEDY J *see* Cunningham D *et al*
KEOGH B E (& Crea F, Bull T, Pashazadeh M, Blackie R A S, Foale R A, Davies G J, Kidner P H, Davies M J, Taylor K M) Laser thermal angioplasty: limitations in the coronary circulation 86 *P*
KERR F Correcting a block?: successful experience of a small British pacing centre: corespondence reply 212
KHAGHANI A *see* Aranki S *et al*
Aravot D *et al*
KHAN B (& de Belder M, Skehan J D, Mills P G) Comparison of silent ischaemia after infarction and in chronic stable angina: effect of diltiazem 471 *P*
— *see also* Nouriel H *et al*
KHAN M I (& Hackett D R, McFadden E, Andreotti F, Halson P, Davies G J, Maseri A) Serial intravenous bolus injections of recombinant tissue type plasminogen activator are associated with rapid recanalisation in patients with acute myocardial infarction 453 *P*
KHAN M M *see* Dickey W *et al*
McKeown P *et al*
McNeill A J *et al*
KIDNER P H *see* Keogh B E *et al*
KILNER P J (& de Leval M R, Bull C, Gewillig M) In vitro flow studies to improve hydrodynamic design of Fontan reconstruction 89 *P*
KINOSHITA O (& Hongo M, Yamada H, Misawa T, Kono J, Okubo S, Ikeda S-I) Impaired left ventricular diastolic filling in patients with familial amyloid polyneuropathy: a pulsed Doppler echocardiographic study 198
KIRK C R (& Radley-Smith R, Yacoub M H) Late left ventricular function after anatomical correction of anomalous left coronary artery 110 *P*
KIRKHAM N (& Murrells T, Melcher D H, Morrison E A) Diagonal earlobe creases and fatal cardiovascular disease: a necropsy study 361
KITNEY R I *see* Burrell C J *et al*
KLEIGER R E *see* Boden W E *et al*
KLINGER L *see* Pugsley W *et al*
Venn G E *et al*
KLUFT C *see* Andreotti F *et al*
KNIGHT C *see* MacMahon S *et al*
KOIKE K (& Musewe N N, Smallhorn J F, Freedom R M) Distinguishing between anomalous origin of the left coronary artery from the pulmonary trunk and dilated cardiomyopathy: role of echocardiographic measurement of the right coronary artery diameter 192
KONO J *see* Kinoshita O *et al*
KOOLEN J *see* Sutherland G R *et al*
KOPELMAN P G *see* Ambepityia G *et al*
KOTLEWSKI A *see* Bhandari A K *et al*
KRIKLER D M A 59 year perspective: *British Heart Journal:* jubilee editorial 1
— *see also* McKenna W J *et al*
KUIJER P J *see* Hauer R N W *et al*

LA CHAISE A T DE *see* de la Chaise A T
LAB M J *see* Taggart P *et al*
LACHNO D R *see* Banner N R *et al*
LACROIX D *see* Shenasa M *et al*
LADUSANS E J (& Murdoch I, Franciosi J) Severe haemolysis after percutaneous closure of a ductus arteriosus (arterial duct): case report 548
— (& Parsons J M, Baker E J, Martin R, O'Brien B, Deverall P B, Tynan M, Radley-Smith R C, Yacoub M H) Total correction of the tetralogy of Fallot: assessment of survival 90 *P*
— — (Qureshi S A, Baker E J, Tynan M J) Results of percutaneous balloon dilatation for critical aortic stenosis in neonates with severe endocardial fibroelastosis 470 *P*
— *see also* Baker E J *et al*
Parsons J M *et al*
Qureshi S A *et al*
LAHIRI A (& Cashman P, Broadhurst P, Crawley J, Caunt J, Raftery E B) Cardioscint: a new system for the continuous evaluation of left ventricular function 102 *P*
— *see also* Broadhurst P *et al*
Das Gupta P *et al*
Hughes L *et al*
Jain D *et al*
LAMING P J *see* Underwood S R *et al*
LANGENSTEIN B *see* Sutherland G R *et al*
LARKIN S *see* El-Tamimi H *et al*
LARKIN S W *see* Crossman D C *et al*
LATIF A B *see* Gehani A A *et al*
LAWTON P A *see* Handler C E *et al*
LAYTON C *see* Balcon R *et al*
Davies S *et al*
LAYTON C *see* Davies S W *et al*
Gershlick A H *et al*
LEBLANC A-R *see* Shenasa M *et al*
LECKIE B *see* Polonia J J *et al*
LEDINGHAM J *see* Arnolda L *et al*
LEDINGHAM J G G *see* Conway M A *et al*
LEDINGHAM S J M (& Yacoub M) Beneficial effect of adenosine during reperfusion after prolonged cardioplegic arrest 442 *P*
LEECH G (& de Belder M A, Camm A J) Outpatient transoesophageal echocardiography: technique, patient tolerance, and costs 479 *P*
— *see also* de Belder M A *et al*
Henney AM *et al*
LEES K R *see* Hogg K J *et al*
LEUNG M P (& Benson L N, Smallhorn J F, Williams W G, Trusler G A, Freedom R M) Abnormal cardiac signs after Fontan type of operation: indicators of residual and sequelae 52

LEVY R D (& Elstob J, Wiseman M N, Solanki K, Sobnack R, Dyke L, Britton K, Dymond D S) Indium-111 labelled monoclonal antimyosin antibody for the detection of myocardial necrosis in subendocardial infarction and unstable angina 101 *P*

— *see also* Davies D W *et al*

LEWIS C T *see* Withington P S *et al*

LEWIS M J *see* Mulligan I P *et al*

LEWIS N P (& Macdougall I C, Coles G A, Williams J D, Fox K A A) Increased exercise capacity and reversal of exercise induced myocardial ischaemia in haemodialysis patients treated with recombinant human erythropoietin 436 *P*

LEWIS P A *see* Ikram S *et al*

LI W *see* Chen Z *et al*

LIM M K *see* Houston A B *et al*

LINCOLN C *see* Musumeci F & Lincoln C

LINCOLN C R *see* Carvalho J *et al*

LINDSAY D *see* Mulcahy D *et al*

LINKER N J *see* Griffith M J *et al*

LIPKIN D P *see* Davies S W *et al*
Frenneaux M P *et al*

LIPPE G VON DER *see* von der Lippe G

LITTLER W A *see* Fox J P *et al*
Shaw T R D *et al*
Tan L B *et al*

LIU J Y *see* Walker J M & Liu J Y

LIVESEY S *see* Handler C E *et al*

LLOYD M H *see* Banner N R *et al*

LO E *see* Yousif H *et al*

LO S V *see* Ikram S *et al*

LOIZOU S *see* Gomez P *et al*

LONGMORE D B *see* Mohiaddin R H *et al*
Underwood S R *et al*

LOWE T *see* Frenneaux M P *et al*

LOWRY P *see* Hunt A G *et al*

LUI D *see* Mittal R B *et al*

LUIJTEN H E *see* Beatt K J *et al*

LUKE R A (& Gillbe C E, Bonser R S, Paneth M, Somerset D, Thomas J, Gibson D G) Effect of temperature on rate of left ventricular pressure fall in humans 426

LUNDQVIST C BLOMSTRÖM- *see* Blomström-Lundqvist C

LYONS J *see* Davies S *et al*

LYONS J P *see* Davies S W *et al*
Norell M S *et al*

LYTHALL D A *see* Katritsis D *et al*

MCALEER B *see* Burke E *et al*

MCALPINE H (& Polonia J, Morton J J, Rumley A, Dargie H) Neuroendocrine responses to captopril in acute heart failure after myocardial infarction 81 *P*

MCAREAVEY D *see* Shaw T R D *et al*

MCCANCE A J Cardiac sympathetic neural activity in ischaemic heart disease 105 *P*

—(& Forfar J C) Cardiac and whole body (^{3}H)noradrenaline kinetics in ischaemic heart disease contrast between unstable anginal syndromes and pacing induced ischaemia 238

— — Cardiac noradrenaline output during percutaneous transluminal coronary angioplasty 461 *P*

MCCOMB J *see* Dougeni-Christacou V *et al*

MCCREDIE M *see* Smith R *et al*

MCDONALD A H *see* Burrell C J *et al*
Skehan J D *et al*

MACDONALD R *see* Ambepityia G *et al*

MACDOUGALL I C *see* Lewis N P *et al*

MCELHINNEY K *see* Burke E *et al*

MCFADDEN E *see* Khan M I *et al*

MACFARLANE D *see* Davies S W *et al*
Whincup P H *et al*

MACFARLANE P W *see* Al-Riyami A *et al*

MCGHIE I (& Tweddel A, Martin W, Hutton I) Right ventricular dysfunction enhances mortality after myocardial infarction 121 *P*

— *see also* Tweddel A *et al*
Tweddel A C *et al*

MCGHIE J *see* Sutherland G R *et al*

MCGREGOR C *see* Robson S C *et al*

MCGREGOR C G A *see* Hislop A A *et al*

MACHADO L *see* Virginia M *et al*

MCINTOSH N *see* Bhandari A K *et al*

MACIVER D H *see* Heagerty A M *et al*

MCKENNA T *see* O'Sullivan J J *et al*

MCKENNA W J (& Adams K M, Poloniecki J D, Dickie S, Oakley C M, Krikler D M, Goodwin J F) Long term survival with amiodarone in patients with hypertrophic cardiomyopathy and ventricular tachycardia 472 *P*

— (& Nihoyannopoulos P, Davies M J) Hypertrophic cardiomyopathy without hypertrophy: a description of two families with premature cardiac death and myocardial disarray in the absence of increased muscle mass 75 *P*

— *see also* Alfonso F *et al*
Caforio A *et al*
Counihan P J *et al*
Cripps T *et al*
Frenneaux M P *et al*
Karatasakis G *et al*
Mehta D *et al*
Stewart R A *et al*
Wasa S S *et al*

MCKEOWN P (& Croal S, Allen J D, Anderson J, Khan M M, Adgey A A J) Transoesophageal approach to defibrillation of ventricular fibrillation 468 *P*

MCKEOWN P P (& Croal S, Dalzell G W N, Anderson J, Adgey A A J) Transoesophageal DC cardioversion 96 *P*

MCLAY J *see* McMurray J *et al*

MACMAHON S (& Collins R, Knight C, Yusuf S, Peto R) Reduction in major morbidity and mortality by heparin in acute myocardial infarction 118 *P*

— *see also* Chen Z *et al*

MCMURRAY J (& Chopra M, McLay J, Scott N, Bridges A, Belch J) Free radical activity in chronic heart failure and effect of captopril 457 *P*

MCNEILL A J (& Cunningham S R, Flannery D J, Dalzell G W N, Wilson C M, Campbell N P S, Khan M M, Patterson G C, Webb S W, Adgey A A J) A double blind placebo controlled study of early and late administration of recombinant tissue plasminogen activator in acute myocardial infarction 316

MACPHERSON P C *see* Barin E S *et al*

MADDEN B *see* Coghlan J G *et al*

MADDEN S E *see* Skehan J D *et al*

MAGEE W H *see* Dickey W A *et al*

MAIRE R *see* Ikram S *et al*

MAISEY M N *see* Baker E J *et al*
Najm Y C *et al*

MAISEY M N *see* Parsons J M *et al*

MANSFIELD A *see* Andreotti F *et al*

MARCHANT B *see* Davies S *et al*
Davies S W *et al*

MARKLAND C G (& Pugsley W G, Treasure T, Swanton R H) Is there a limit to operability in aortic stenosis? 126 *P*

MARRINAN M *see* Withington P S *et al*

MARTIN R *see* Ladusans EJ *et al*

MARTIN R P *see* Qureshi S A *et al*
Walsh KP *et al*

MARTIN W *see* McGhie I *et al*
Tweddel A *et al*
Tweddel A C *et al*

MASERI A *see* Andreotti F *et al*
Crea F *et al*
Crossman D C *et al*
El-Tamimi H *et al*
Kaski J C *et al*
Khan M I *et al*
Pupita G *et al*

MASLOWSKI A *see* White H D *et al*
MATSUDA M *see* Onodera T *et al*
MAURER B *see* O'Sullivan J J *et al*
MEADE T W *see* Thompson S G *et al*
MEANY B *see* Bergman G *et al*
Jewitt D *et al*
MEANY B T *see* Archard L C *et al*
MEDINA E O ROBLES DE *see* Robles de Medina E O
MEHTA D (& Gilmour S, Ward D E, Camm A J) Optimal atrioventricular delay at rest and during exercise in patients with dual chamber pacemakers: a non-invasive assessment by continuous wave Doppler 161
— (& Stewart J, Ward D E, Davies M J, Camm A J) Role of signal averaged electrocardiograms compared with myocardial biopsy specimens in ventricular tachycardia associated with no obvious cardiac abnormality 102 *P*
— (& Odawara H, McKenna W J, Davies M J, Camm A J) Significance of frontal plane axis in non-ischaemic right ventricular tachycardias: echocardiographic and histological evaluation 474 *P*
— (& Ward D E, Camm A J) Reproducibility of non-ischaemic right ventricular tachycardias induced by exercise 474 *P*
MEIJLER F L (& Fisch C) Does the atrioventricular node conduct?: review 309
MELCHER D H *see* Kirkham N *et al*
MELTON L J *see* Codd M B *et al*
Sugrue D D *et al*
METCALFE J *see* Bergman G *et al*
METCALFE M J (& Chan-Wah-Hak N S, Jennings K) The effects of treatment with felodipine as a single agent in coronary artery disease 258
MEY C DE *see* de Mey C
MEYER J *see* Sutherland G R *et al*
MICHELSON J K *see* Stewart R A *et al*
MICKLEWRIGHT J *see* Griffith M J *et al*
MIKALIAN H *see* Ino T *et al*
MILLER H C *see* Bloomfield P *et al*
MILLS P *see* Monaghan M J & Mills P
MILLS P G *see* Ambepityia G *et al*
de Belder M A *et al*
Khan B *et al*
Skehan J D *et al*
MISAWA T *see* Kinoshita O *et al*
MISHRA A *see* Balcon R *et al*
MITCHELL A G *see* Barbir M *et al*
Coghlan J G *et al*
MITCHELL M M *see* van Daele M E R M *et al*
MITTAL R B (& Ahmed A, John R, Lui D, Jarrit P H, Ell P J, Swanton R H) Myocardial perfusion SPET scintigraphy with technetium-99 methoxy-isobutyl-isonitrile in coronary artery disease: comparison with thallium 201 119 *P*
MOESBY R *see* Pepper J R *et al*
MOHIADDIN R H (& Underwood S R, Firmin D N, Abdulla A K, Rees R S O, Longmore D B) Magnetic resonance chemical shift imaging of human atheroma 119 *P*
— *see also* Underwood S R *et al*
MOHR-KAHALY S *see* Sutherland G R *et al*
MOK Q (& Ross-Russell R, Shinebourne E A) Prospective study of the frequency of phrenic nerve paralysis after cardiac surgery in children 99 *P*
MOKRANE A *see* Shenasa M *et al*
MOLAJO A O (& Bennett D H, Bray C L) Is left ventricular dysfunction in mitral stenosis caused by isolated posterobasal wall abnormality? 98 *P*
MONAGHAN M *see* Jewitt D *et al*
MONAGHAN M J (& Chambers J B, Jackson G, Jewitt D E) The role of echocardiography and Doppler and colour flow mapping before, during, and after dilatation of the mitral valve 79 *P*
— (& Mills P) Doppler colour flow mapping: technology in search of an application?: review 133
MONRO J L *see* Balaji S *et al*
Sutherland G R *et al*
MONTARELLO J K *see* Rosenthal E *et al*
MONTORSI P *see* Polonia J J *et al*
MOORE D P (& Gilligan D, Oakley C M) Hypocapnia during exercise testing in dilated cardiomyopathy and hypertrophic cardiomyopathy: objective assessment by respiratory gas analysis 435 *P*
MORADY F *see* Stewart R A *et al*
MORGAN J M (& Gray H H, Oldershaw P J) The place of aortography and computed tomographic scanning in the investigation of suspected acute thoracic aortic dissection 466 *P*
— (& Raposo L, Clague J C, Chow W H, Oldershaw P J) Restrictive cardiomyopathy and constrictive pericarditis: non-invasive distinction by digitised M mode echocardiography 29
MORRISON E A *see* Kirkham N *et al*
MORRISON W L (& Petch M C, Scrimgeour C, Rennie M J) Skeletal muscle and whole body protein turnover in cardiac failure 459 *P*
MORTON J *see* Dominiczak A *et al*
MORTON J J *see* McAlpine H *et al*
MORTON P *see* Murphy P P *et al*
Richardson S G *et al*
MULCAHY D (& Keegan J, Sparrow J, Park A, Wright C, Fox K) Is there any indication to perform ambulatory ST segment monitoring in patients with coronary disease and a negative exercise test? 106 *P*
— — (& Lindsay D, Sparrow J, Park A, Wright C, Fox K) Silent myocardial ischaemia in patients referred for coronary bypass surgery because of angina: a comparison with patients whose symptoms were well controlled on medical treatment 496
— — (& Wright C, Sparrow J, Park A, Fox K) Is silent ischaemia common in patients with coronary artery disease and angina receiving standard medical treatment? 445 *P*
MULLIGAN I P (& Fraser A G, Lewis M J, Henderson A H) Effects of enalapril on myocardial noradrenaline overflow during exercise in patients with chronic heart failure 23
MUNCK O *see* Kelbæk H *et al*
MURAKAWA Y *see* Toda I *et al*
MURDOCH I *see* Ladusans E J *et al*
MURPHY P P (& Morton P, Murtagh J G, Scott M E, O'Keefe D B) Electrophysiological follow up of patients with sinus node disease paced with atrial demand pacemakers 467 *P*
MURRAY R G *see* Fox J P *et al*
Shaw T R D *et al*
Tan L B *et al*
MURRELLS T *see* Kirkham N *et al*
MURTAGH J G *see* Murphy P P *et al*
Richardson S G *et al*
MUSEWE N N *see* Koike K *et al*
MUSUMECI F (& Lincoln C) Venous compared with anatomical repair for double outlet right ventricle with subpulmonary ventricular septal defect 89 *P*
— *see also* Aranki S *et al*
Aravot D *et al*

NADAZDIN A (& Shahi M, Crake T, Foale R A) Syndrome X: abnormal left ventricular filling during dipyridamole echocardiography 478 *P*
NADAZDIN A *see* Kambouroglou D *et al*
Nihoyannopoulos P *et al*
NAJM Y C (& Timmis A D, Maisey M N, Pinies L M Y, Salinas A, Curry P V L, Sowton E) Coronary angioplasty and left ventricular function in single vessel coronary artery disease 262
NAKAMURA M *see* Okamatsu S *et al*
NATHAN A W *see* Barin E S *et al*
Davies D W *et al*
Ratnatunga C P *et al*
Scriven A J I & Nathan A W
Wiseman M N & Nathan A W
NEUBAUER K *see* Sanderson J E *et al*
NEVIN M (& Colchester A C F, Adams S, Pepper J R) The cerebral

function analysing monitor as the sole predictor of neurological damage after coronary artery bypass surgery 449 *P*
NEWBY A C *see* Angelini G D *et al*
Bryan A J *et al*
NEWMAN S *see* Pugsley W *et al*
Venn G E *et al*
NICHOLLS D P *see* Elborn J S *et al*
NICKLAS J M *see* Stewart R A *et al*
NIELSEN D *see* Andersen H R *et al*
NIGHTINGALE P *see* Creamer J E *et al*
NIHOYANNOPOULOS P (& Kambouroglou D, Nadazdin A, Joshi J, Ghosh P, Oakley C M) Assessment of mitral prostheses with transoesophageal echocardiography 471 *P*
— *see also* Gomez P *et al*
Kambouroglou D *et al*
Karatasakis G *et al*
McKenna W J *et al*
Taha T H *et al*
NORBURY R N *see* de Belder M A *et al*
NORRELL M S (& Lyons J P, Davies S, Timmis A D, Balcon R) Demonstration of myocardium at further risk after thrombolysis in acute myocardial infarction 116 *P*
— *see also* Coghlan J G *et al*
NORRIS R M *see* White H D *et al*
NORTHCOTE R J (& Canning G P, Ballantyne D) Electrocardiographic findings in male veteran endurance athletes 155
NORTHRIDGE D *see* Findlay I N *et al*
Polonia J J *et al*
NORTHRIDGE D B (& Findlay I N, Dilly S G, Dargie H J) Increase in plasma concentration of atrial natriuretic factor by atriopeptidase inhibition in heart failure: effects on diastolic function 458 *P*
NOURIEL H (& Khan B, Burrell C J, Rothman M T) Long term follow up after percutaneous transluminal coronary angioplasty in patients with chronic total occlusions 94 *P*
NOZAKI A *see* Toda I *et al*
NUGENT S T *see* Finley J P *et al*

OAKLEY C *see* Gomez P *et al*
Karatasakis G *et al*
Taha T H *et al*
Yousif H *et al*
OAKLEY C M *see* McKenna W J *et al*
Moore D P *et al*
Nihoyannopoulos P *et al*
OAKLEY G D G *see* Bowes R J *et al*
O'BRIEN B *see* Ladusans E J *et al*
O'BRIEN W *see* Sutton P M I *et al*
ODAWARA H *see* Frenneaux M P *et al*
Mehta D *et al*
ODEMUYIWA O *see* Ikram S *et al*
Peart I *et al*
ODOM N *see* Hislop A A *et al*
O'DONOGHUE A *see* Counihan P J *et al*
OGILVIE D *see* Wordsworth P *et al*
OKAMATSU S (& Takeshita A, Nakamura M) Impaired blood pressure response to exercise in patients with coronary artery disease: possible contribution of attenuated reflex vasoconstriction in non-exercising muscles 149
O'KANE H (& Cleland J, Gladstone D, Galvin I, Buckels J) Emergency operation after failed percutaneous angioplasty: how late? 93 *P*
O'KEEFFE D B *see* Murphy P P *et al*
Richardson S G *et al*
OKUBO S *see* Kinoshita O *et al*
OLDERSHAW P J *see* Morgan J M *et al*
Redington A N *et al*
OLDROYD K G *see* Rankin A C *et al*
OLSEN E G *see* Archard L C *et al*
OLSSON C G *see* Wilcox R G *et al*
OLSSON S B *see* Blomström-Lundqvist C *et al*
ONODERA T (& Fujiwara H, Tanaka M, Wu D-J, Matsuda M, Takemura G, Ishida M, Kawamura A, Kawai C) Cineangiographic and pathological features of the infarct related vessel in successful and unsuccessful thrombolysis 385
ORMISTON J *see* White H D *et al*
O'SULLIVAN J J (& Conroy R, McKenna T, Maurer B) Silent ischaemia and QT prolongation in diabetic men with autonomic neuropathy 444 *P*

PAGÉ P *see* Shenasa M *et al*
PAI G R (& Rawles J M) The QT interval in atrial fibrillation 510
PALMER R B G *see* Sanderson J E *et al*
PANETH M *see* Luke R A *et al*
PAPPAGEORGIO G L (& Hudson N, Redding V J, Jones N B) Arteriographic underestimations of vessel diameter leading to overestimation of severity of stenosis 478 *P*
— (& Redding V J, Jones N B) Fibreoptic disposable catheter tip pressure transducer of very small dimensions for cardiovascular investigations 457 *P*
PARAMESHWAR J (& Dambrink J-H E, Sparrow J, Wright C, Park A, Tweed J, Poole-Wilson P A) A new exercise test for the assessment of heart failure: use of a self powered treadmill 421
— (& Shackell M, Richardson A, Poole-Wilson P A, Sutton G C) Prevalence of heart failure in two general practices 114 *P*
PARK A *see* Mulcahy D *et al*
Parameshwar J *et al*
PARKER D J *see* Wafa S S *et al*
PARSONS J M (& Baker E J, Ladusans E J, Ayton V, Smith M A, Anderson R H, Deverall P B, Maisey M N, Tynan M J) Magnetic resonance imaging of atrioventricular septal defects in children correlates with echocardiographic, angiographic, and surgical findings 117 *P*
— (& Ladusans E J, Baker E J, Ayton V, Smith M A, Qureshi S A, Anderson R H, Tynan M J) Morphology of double outlet right ventricle (DORV) shown by magnetic resonance imaging 480 *P*
— — (& Qureshi S A, So L Y, Baker E J, Allan L, Tynan M J) Doppler analysis of blood flow in the superior vena cava: clinical and echocardiographic correlation 481 *P*
— *see also* Baker E J *et al*
Ladusans E J *et al*
Qureshi S A *et al*
PASCALIS C *see* Pugsley W *et al*
PASHAZADEH M *see* Keogh B E *et al*
PATEL N *see* Banner N R *et al*
PATTERSON G C *see* McNeill A J *et al*
PATTISON C W (& Cumming D, Lovegrove C, Clayton-Jones D G, Dunn M J, Goldspink G, Yacoub M) The use of trained autologous skeletal muscle for long term counterpulsation in a sheep model 448 *P*
PATTON H *see* Banner N R *et al*
PAUL V *see* Farrell T G *et al*
PAUL V E (& Garratt C J, Ward D E, Camm A J) Clinical assessment of rate adaptive pacing by the ventricular depolarisation gradient as the control parameter in a closed loop system 469 *P*
PEART I (& Bullock R E, Albers C, Hall R J C) Cold intolerance in patients with angina pectoris: effect of nifedipine and propranolol 521
— (& Odemuyiwa O, Albers C, Hall A, Kelly C, Hall R J C) Exercise testing soon after myocardial infarction: its relation to course and outcome at one year in patients aged less than 55 years 231
PEDOE H TUNSTALL *see* Tunstall-Pedoe H
PEDOE H D TUNSTALL *see* Tunstall-Pedoe H D
PENKETH R *see* Wharton J *et al*
PENKOSKE P A *see* Robertson M A *et al*
PENNY W J (& Chesebro J H, Heras M, Bell M, Holmes D R, Vlietstra R E) Measurement of inflated balloon size during angioplasty: importance of balloon material, artery size, and inflation pressure 447 *P*
— — — (& Badimon L, Fuster V) Thrombin inhibition by heparin or hirudin decrease platelet thrombus deposition and vasospasm after arterial angioplasty 117 *P*
PEPLOE M M WEBB- *see* Webb-Peploe M M

PEPPER J R (& Anderson D, Moesby R) Improved patency rates to small vessels with the internal mammary graft 109 *P*
— *see also* Nevin M *et al*
PERAKIS A *see* Rosenthal E *et al*
PERNOT C *see* Brembrilla-Perrot B *et al*
PERRINS E J *see* Baig M W *et al*
PERROT B BREMBILLA- *see* Brembilla-Perrot B
PERRY R A *see* Hunt A G *et al*
Seth A *et al*
PETCH M C *see* Hall J A *et al*
Morrison W L *et al*
PETO R *see* Chen Z *et al*
Collins R *et al*
MacMahon S *et al*
PHILLIPS A N *see* Pocock S J *et al*
PHILLIPS P A (& Sasadeus J, Hodsman G P, Horowitz J, Saltups A, Johnston C I) Plasma atrial natriuretic peptide in patients with acute myocardial infarction: effects of streptokinase 139
PICHENI M *see* Brembilla-Perrot B *et al*
PILAI R *see* Aranki S *et al*
PINIES L M Y *see* Najm Y C *et al*
PIPILIS A *see* Henderson R A *et al*
Sulke N *et al*
PITT B *see* Stewart R A *et al*
POCOCK S J (& Shaper A G, Phillips A N) High density lipoprotein cholesterol triglycerides, and ischaemic heart disease: a re-appraisal 106 *P*
POLAK J M *see* Wharton J *et al*
POLONIA J *see* McAlpine H *et al*
POLONIA J J (& Montorsi P, Tonolo G, Leckie B, Northridge D, Dargie H, Richards A M) Haemodynamic and renal effects of low dose infusions of atrial natriuretic peptide in chronic heart failure 86 *P*
POLONIECKI J D *see* McKenna W J *et al*
Stewart R A *et al*
POOLE-WILSON P A *see* Parameshwar J *et al*
POPPELE G *see* Sutherland G R *et al*
PORTER A *see* Frenneaux M P *et al*
PRAKASH O *see* van Daele M E R M *et al*
PRESCOTT R J *see* Bloomfield P *et al*
PRICE C (& Keenan D J M) Injury to a saphenous vein graft during removal of a temporary epicardial pacing wire electrode: case report 546
PRIESTLEY K (& Tynan M J, Curry P V L) Presentation of ventricular tachycardia in children 77 *P*
PRIESTLEY K A (& Tynan M J, Curry P V L) Complete heart block in children: How many will need a pacemaker? 481 *P*
PRIGENT F *see* Underwood S R *et al*
PUGH S E (& White N J, Aronson J K, Grahame-Smith D G, Bloomfield J G) Clinical, haemodynamic, and pharmacological effects of withdrawal and reintroduction of digoxin in patients with heart failure in sinus rhythm after long term treatment 529
PUGSLEY W (& Klinger L, Pascalis C, Harrison M, Newman S, Treasure T) Microemboli and cerebral impairment during cardiac surgery 463 *P*
— *see also* Griffin S *et al*
John R M *et al*
Markland C G *et al*
PUMPHREY C W *see* de Belder M A *et al*
Skehan J D *et al*
PUPITA G (& Kaski J C, Galassi A R, Crea F, Maseri A) Long term prognosis and variability of myocardial ischaemia in syndrome X 443 *P*
— *see also* Crea F *et al*
PYE M (& Bain W, Weerasana N, Hutton I, Cobbe S M) Doppler echocardiographic characteristics of prosthetic valves in the tricuspid position 92 *P*

QUAEGEBEUR J *see* Angelini G *et al*
Sutherland G R *et al*

QURESHI S A (& Ladusans E J, Parsons J M, Baker E J, Tynan M J) Efficacy of percutaneous balloon dilatation of the pulmonary outflow tract as palliation of tetralogy of Fallot 482 *P*
— (& Martin R P, Dickinson D F, Hunter S) Balloon dilatation of stenosed Blalock-Taussig shunts 432
— *see also* Ladusans E J *et al*
Parsons J M *et al*

RADDA G K *see* Arnolda L *et al*
Conway M *et al*
RADLEY-SMITH R (& Yacoub M H) Heart and heart-lung transplantation in children 91 *P*
— *see also* Aravot D *et al*
Kirk C R *et al*
Ladusans E J *et al*
RAE A P *see* Burns J M A *et al*
Rankin A C *et al*
RAFTERY E B *see* Broadhurst P *et al*
DasGupta P *et al*
Hughes L *et al*
Hughes L O *et al*
Jain D *et al*
Lahiri A *et al*
RAHIMTOOLA S H *see* Bhandari A K *et al*
RAJAGOPALAN B *see* Arnolda L *et al*
CONWAY M *et al*
RAMHAMDANY E *see* DasGupta P *et al*
RANKIN A C (& Rae A P, Oldroyd K G, Cobbe S M) Verapamil or adenosine for supraventricular tachycardia 123 *P*
RAPOSO L *see* Morgan J M *et al*
RATNATUNGA C P (& Barin E S, Davies D W, Nathan A W, Edmondson S J) The epicardial approach to surgical treatment of Wolff-Parkinson-White syndrome 462 *P*
RAVAL U *see* Hughes L O *et al*
Jain D *et al*
RAWLES J M *see* Pai G R & Rawles J M
REDDING V J *see* Agarwal A K & Redding V J
Pappageorgio G L *et al*
REDDY B R *see* Boden W E *et al*
REDINGTON A N (& Shinebourne E A, Rigby M L, Oldershaw P J) The effect of loading conditions on the right ventricular pressure-volume association 81 *P*
REES M R (& Gehani A A, Feith F) Percutaneous angioscopy 86 *P*
— *see also* Gehani A A *et al*
REES P G *see* Sullivan I D *et al*
REES R S O *see* Mohiaddin R H *et al*
Underwood S R *et al*
REID C J *see* Barbir M *et al*
REID J M *see* Houston A B *et al*
REIDY J *see* Rosenthal E *et al*
RENNIE M J *see* Morrison W L *et al*
RENNOLIET H *see* Sutherland G R *et al*
RICHARDS A M *see* Polania J J *et al*
RICHARDSON A *see* Parameshwar J *et al*
RICHARDSON P J *see* Archard L C *et al*
RICHARDSON S G (& Allen D C, Morton P, Murtagh J G, Scott M E, O'Keeffe D B) Pathological changes after intravenous streptokinase treatment in eight patients with acute myocardial infarction 390
RICKARDS A *see* Cunningham D *et al*
RIGBY M L *see* Carvalho J *et al*
Carvalho J S *et al*
Redington A N *et al*
RITTER M *see* Jenni R *et al*
RIVERS J T *see* White H D *et al*
RIYAMI A AL *see* Al-Riyami A
ROBERTS R *see* Boden W E *et al*
ROBERTSON M A (& Byrne P J, Penkoske P A) Perinatal management of critical aortic valve stenosis diagnosed by fetal echocardiography: case report 365

ROBERTSON P *see* Sreeram N *et al*
ROBISON A K *see* Fox K A A *et al*
ROBLES DE MEDINA E O *see* Hauer R N W *et al*
ROBSON R H (& Holmes K M, Bexton R) Stress testing: a district audit 98 *P*
ROBSON S C (& Furniss S S, Heads A, Boys R J, McGregor C, Bexton R S) Isometric exercise in the denervated heart: a Doppler echocardiographic study 224
ROELANDT J *see* Smyllie J *et al*
Sutherland G R *et al*
Taams M A *et al*
ROELANDT J R T C *see* Fraser A G *et al*
Smyllie J *et al*
Smyllie J H *et al*
Sutherland G R *et al*
Van Daele M E R M *et al*
ROGERS W J *see* Buchalter M B *et al*
ROSE M *see* Archard L C *et al*
ROSENTHAL E (& Montarello J K, Perakis A, Boyd E, Deverall P, Yates A, Sowton E, Curry P) Balloon dilatation of the aortic valve: an in vitro assessment of the mechanism, magnitude, and duration of its effects 92 *P*
— — — — — — — — — Normal and stenotic aortic valve area measurement: comparison of an in vitro physiological method with Doppler echocardiography 102 *P*
— — Reidy J, Yates A K, Curry P V L) From peripheral to coronary arteries: experience with percutaneous laser thermal angioplasty 99 *P*
ROSS-RUSSELL R *see* Mok Q *et al*
ROTHMAN M *see* Balcon R *et al*
Davies S *et al*
Gerschlick A H *et al*
ROTHMAN M T *see* Burrell C J *et al*
Davies S W *et al*
de Belder M A *et al*
Gerschlick A H *et al*
Nouriel H *et al*
Skehan J D *et al*
ROWE R D *see* Ino T *et al*
ROWLAND E *see* Cunningham D *et al*
ROYSTON D *see* Bidstrup B P *et al*
RUANE B *see* Burke E *et al*
RUDD R *see* Davies S *et al*
Davies S W *et al*
RUDIN A *see* Blomström-Lundqvist C *et al*
RULF E N *see* van Daele M E R M *et al*
RUMLEY A *see* McAlpine H *et al*
RUNNALS M E *see* Sutton P M I *et al*
Taggart P *et al*
RUOCCO N A *see* Glazier J J *et al*
RUSSELL A E *see* Smith S A *et al*
RUSSELL R ROSS- *see* Ross-Russell R
RYAN T J *see* Glazier J J *et al*

SALIH M *see* Fox J P *et al*
SALIH M S *see* Fox J P *et al*
SALINAS A *see* Najm Y C *et al*
SALMON A P (& Holder R, De Giovanni J V, Wright J G G, Silove E D) Effects of digoxin in infants with ventricular septal defects and cardiac failure 115 *P*
SALTISSI S *see* Currie P & Saltissi S
Higham P D *et al*
SALTUPS A *see* Phillips P A *et al*
SAMPSON M J *see* Chambers J B *et al*
SAMSTAD S O (& Hegrenaes L, Skjaerpe T, Hatle L) Half time of the diastolic aortoventricular pressure difference by continuous wave Doppler ultrasound: a measure of the severity of aortic regurgitation? 336
SANDERSON J E (& Waterhouse T D, Palmer R B G) Epidural spinal stimulation in patients with intractable angina 462 *P*
— (& Whiteley E, Neubauer K) Management of patients after myocardial infarction: Do exercise testing and a more intensive approach make any difference? 454 *P*
SANKOORIKAL A *see* Bhandari A K *et al*
SAPSFORD R N *see* Bidstrup B P *et al*
SASADEUS J *see* Phillips P A *et al*
SAVARD P *see* Shenasa M *et al*
SCHECHTMAN K B *see* Boden W E *et al*
SCHMID E R *see* Jenni R *et al*
SCHORK M A *see* Stewart R A *et al*
SCHWARTZ D J *see* Boden W E *et al*
SCHWARTZ R C *see* Henney A M *et al*
SCOTT M E *see* Murphy P P *et al*
Richardson S G *et al*
SCOTT N *see* McMurray J *et al*
SCRIMGEOUR C *see* Morrison W L *et al*
SCRIVEN A J I (& Nathan A W) Laser-generated tissue debris causes considerable platelet aggregation in vitro 447 *P*
SEMPLE P *see* Dominiczak A *et al*
SERRUYS P W *see* Beatt K J *et al*
SETH A (& Perry R A, Hunt A E, Shiu M F) Clinical outcome and procedural risks of complete compared with incomplete revascularisation by percutaneous transluminal coronary angioplasty in patients with multivessel disease 79 *P*
— — (Smith S, Shiu F F) Myocardial protection with diltiazem during coronary angioplasty cardioplegic or vasodilatory action? 439 *P*
— *see also* Hunt A G *et al*
SHACKELL M *see* Parameshwar J *et al*
SHAHI M *see* Cleland J F *et al*
Nadazdin A *et al*
SHAPER A G (& Wannamethee G, Walker M) Alcohol and cardiovascular mortality 88 *P*
— *see also* Cook D G & Shaper A G
Davies S W *et al*
Pocock S J *et al*
Whincup P H *et al*
SHAPIRO E P *see* Buchalter M B *et al*
SHARABANI R *see* Cleland J F *et al*
SHARIF D S *see* Abinader E G & Sharif D S
SHARIF H *see* Arnolda L *et al*
SHARPE N *see* White H D *et al*
SHAW T R D (& McAreavey D, Essop A R, Song C S) Balloon dilatation of the mitral valve for "inoperable" mitral stenosis 452 *P*
— (& Starkey I R, Essop A R, Sutton R, Davies M K, Murray R G, Littler W A) Emergency coronary bypass surgery after vessel occlusion at angioplasty in centres without on-site facilities for cardiac surgery 438 *P*
— *see also* Flapan A D *et al*
SHENASA J *see* Shenasa M *et al*
SHENASA M (& Cardinal R, Shenasa J, Vermeulen M, Kaltenbrunner W, Pagé P, Savard P) New insights with computerised intraoperative epicardial mapping of QRS alternans during orthodromic tachycardia 96 *P*
— (& Mokrane A, Lacroix D, Dubuc M, LeBlanc A-R) Demonstration of the fatigue and slow recovery in the human atrioventricular node 103 *P*
SHEPPARD J M *see* Smith S A *et al*
SHEPPARD M C *see* Gammage M D *et al*
SHEPSTONE B *see* Conway M A *et al*
SHERIDAN D J *see* Chakrabarty S *et al*
Winterton S J *et al*
SHINEBOURNE E A *see* Carvalho J *et al*
Carvlho J S *et al*
Mok Q *et al*
Redington A N *et al*
Till J A *et al*
SHIU F F *see* Seth A *et al*
SHIU M F *see* Hunt A C *et al*
Hunt A G *et al*
Seth A *et al*

SHORE D F *see* Balaji S *et al*
SILOVE E D *see* Salmon A P *et al*
SIMPSON I A Value of colour Doppler flow mapping and digital computer analysis in the measurement of mitral regurgitation in vitro 106 *P*
SKEHAN J D (& Carey C M, de Belder M A, Madden S E, Pumphrey C W, Rothman M T, McDonald A H) Clinical experience of coronary angiography by the femoral route using a multipurpose catheter (Sones technique from the leg) 108 *P*
— (& Cowley M L, Burrell C J, Barrett C W, Mills P G) Thrombolysis for acute myocardial infarction: is there adequate provision in England? 453 *P*
— *see also* de Belder M A *et al*
Khan B *et al*
SKEHAN J D *see* Khan B *et al*
SKENE A *see* Wilcox R G *et al*
SKJAERPE T *see* Samstad S O *et al*
SLEIGHT P *see* Arnolda L *et al*
Conway M A *et al*
SLEIGHT P FOR ISIS COLLABORATION GROUP *see* Collins R *et al*
SMALLHORN J F *see* Koike K *et al*
Leung M P *et al*
SMITH A *see* Wharton J *et al*
SMITH D G GRAHAME *see* Grahame-Smith D G
SMITH L D R Evidence for active filling of the left ventricle: a study of the association of ventricular torsion and ventricular volume 113 *P*
— (& Katritsis D, Webb-Peploe M M) Use of a hollow wire to facilitate angioplasty of occluded vessels 326
SMITH M A *see* Baker E J *et al*
Parsons J M *et al*
SMITH P *see* Kambourogiou D *et al*
SMITH R (& Brender D, McCredie M) Percutaneous transluminal balloon dilatation of the mitral valve in pregnancy: case report 551
SMITH R RADLEY *see* Radley-Smith R
SMITH R C RADLEY *see* Radley-Smith R C
SMITH S *see* Seth A *et al*
SMITH S A Pitfalls and limitations in the use of impedance cardiography: correspondence reply 129
— (& Stoner J E, Russell A E, Sheppard J M, Aylward P E) Transmitral velocities measured by pulsed Doppler in healthy volunteers: effects of acute changes in blood pressure and heart rate 344
SMITH T *see* Jain D *et al*
SMITH W C S *see* Crombie I K *et al*
Tunstall-Pedoe H *et al*
SMYLLIE J (& Sutherland G R, Roelandt J) Diagnosis of left ventricular pseudoaneurysm by colour Doppler flow mapping 81 *P*
— — van Daele M, Roelandt J R T C) Colour flow mapping in the detection of intracardiac fistulas after aortic valve surgery for endocarditis 49 *P*
— — (Visser C, Zwiers G, Roelandt J, Dawkins K, Conway N) Range of coronary artery lesions and the requirement for coronary arteriography in post-infarct ventricular septal defects 114 *P*
SMYLLIE J H (& Sutherland G R, Roelandt J R T C) Demonstration of the ascending aorta in infective endocarditis by intravenous digital subtraction angiography: correspondence 554
— *see also* Sutherland G R *et al*
SMYTH D *see* Bergman G *et al*
SO L Y *see* Parsons J M *et al*
SOBNACK R *see* Levy R D *et al*
SOLANKI K *see* Levy R D *et al*
SOMERSET D *see* Luke R A *et al*
SONG C S *see* Shaw T R D *et al*
SOPER N *see* Conway M A *et al*
SOWTON E *see* Bucknall C *et al*
Henderson R A *et al*
Najim Y C *et al*
Rosenthal E *et al*
Sulke N *et al*
SOYOMBO A *see* Angelini G D *et al*
SPARROW J *see* Mulcahy D *et al*
SPARROW J *see* Parameshwar J *et al*
SPRIGINGS D C (& Chambers J B, Cochrane T, Allen J, Black M M, Jackson G) Ventricular stroke work loss: an alternative method of quantifying the severity of aortic stenosis 451 *P*
— *see also* Chambers J B *et al*
SREERAM N (& Hunter S, Wren C) Acute myocardial infarction in infancy: unmasking of anomalous origin of the left coronary artery from the pulmonary artery by ligation of an arterial duct: case report 307
— (& Wren C, Bhate M, Robertson P, Hunter S) Cardiac abnormalities in the fragile X syndrome 289
STANFORD C F *see* Elborn J S *et al*
STARKEY I R *see* Shaw T R D *et al*
STEWART J *see* Mehta D *et al*
STEWART R *see* Karatasakis G *et al*
STEWART R A (& McKenna W J, Poloniecki J D, Michelson J K, Das S K, Morady F, Schork M A, Pitt B, Nicklas J M) Prospective, randomised, double blind, placebo controlled trial of low dose amiodarone in patients with severe heart failure and frequent ventricular extrasystoles 459 *P*
STIMMLER L *see* Virginia M *et al*
STOCKINS B *see* Yousif H *et al*
STONER J E *see* Smith S A *et al*
STRAUGHAN K *see* Burrell C J *et al*
STURMAN S *see* Ahmad R A S *et al*
STURRIDGE M F *see* John R M *et al*
SUGIMOTO T *see* Toda I *et al*
SUGRUE D D (& Codd M B, Melton L J, Gersh B J) The national history of idiopathic dilated cardiomyopathy: a comparison of population based and referred cohorts 88 *P*
— *see also* Codd M B *et al*
SULKE N (& Pipilis A, Karani S, Bucknall C, Sowton E) Paced and natural rate response during everyday activity 476 *P*
— *see also* Bucknall C *et al*
SULLIVAN I D (& Cooper S G, Bull C, Taylor J F N) Percutaneous balloon dilatation may relieve pulmonary venous pathway obstruction after Mustard's operation for transposition of the great arteries 472 *P*
— — (Wren C) Is balloon dilatation the treatment of choice for aortic recoarctation? 480 *P*
— (& Wren C, Bain H, Hunter S, Rees P G, Taylor J F N, Bull C, Deanfield J E) Balloon dilatation of the aortic valve for congenital aortic stenosis in childhood 186
— *see also* Franklin R C G *et al*
SURYAPRANATA H *see* Beatt K J *et al*
SUTHERLAND G R (& Geuskens R, Taams M A, Gussenhoven E J, Hess J, Roelandt J) Value of transoesophageal echocardiography in adolescents and adults with congenital heart disease 480 *P*
— (& McGhie J, Monro J L, Quagebeur J) Colour flow mapping as intraoperative angiography in ventricular septal defects: advantages and pitfalls? 127 *P*
— (& Poppele G, Langenstein B, Taams M, Roelandt J, Hanrath P) Transoesophageal echocardiography, an improved diagnostic technique for subaortic membranes 76 *P*
— (& Smylie J H, Roelandt J R T C) Advantages of colour flow imaging in the diagnosis of left ventricular pseudoaneurysm 59; 81 *P*
— (& Taams M A, Gussenhoven W J, Erbel R, Rennoliet H, Engerding R, Visser C, Koolen J, Daniel W, Jaarsma W, Mohr-Kahaly S, Roelandt J, Meyer J) Role of transoesophageal echocardiography in the diagnosis of aortic dissection: a cooperative multicentre trial 125 *P*
— *see also* Balaji S *et al*
Fraser A G *et al*
Smyllie J *et al*
Smyllie J H *et al*
Taams M A *et al*
Van Daele MERM *et al*
SUTTON G C *see* Parameshwar J *et al*

SUTTON P M I (& Taggart P, Treasure T, O'Brien W, Runnals M E) Do tight coronary stenoses impede access of cold cardioplegia: protection or not? 109 *P*
— *see also* Taggart P *et al*
SUTTON R *see* Fitzpatrick A *et al*
Shaw T R D *et al*
SWANTON R H *see* John R M *et al*
Markland C G *et al*
Taggart P *et al*
Underwood S R *et al*
SYKES B *see* Wordsworth P *et al*
SYKES R M *see* Dashwood M R *et al*
SYNDERCOMBE-COURT D *see* Gershlick A H *et al*

TAAMS M *see* Sutherland G R *et al*
TAAMS M A (& Gussenhoven W J, Bom N, Roelandt J, Sutherland G R) Comparative value of precordial and transoesophageal echocardiography in the spectrum of infective endocarditis 93 *P*
— *see also* Sutherland G R *et al*
TAGGART P (& Sutton P M I, John R, Hayward R, Runnals M E, Swanton R H) Epicardial electrogram during successive balloon occlusion during percutaneous transluminal coronary angioplasty 84 *P*
— — Runnals M E, Lab M J, Swanton R H) Contraction excitation feedback: a new approach 111 *P*
— *see* Sutton P M I *et al*
TAHA T *see* Yousif H *et al*
TAHA T H (& Barbir M, Nihoyannopoulos P, Yousif H, Dahan S, Trayner I, Thompson G R, Oakley C) Coronary artery ectasia: prevalence, frequency of hyperlipidaemia, and influence on myocardial perfusion 82 *P*
TAI Y T *see* Dougeni-Christacou V *et al*
TAJKARIMI S *see* Aranki S *et al*
TAKAYAMA M *see* White H D *et al*
TAKEMURA G *see* Onodera T *et al*
TAKESHITA A *see* Okamatsu S *et al*
TAMIMI H EL *see* El-Tamimi H
TAN L B (& Murray R G, Littler W A) Comparison of the haemodynamic effects of dopexamine and dobutamine in patients with severe heart failure 87 *P*
TANAKA M *see* Onodera T *et al*
TAVENDALE R *see* Tunstall-Pedoe H *et al*
TAYLOR J F N *see* Sullivan I D *et al*
TAYLOR K M *see* Bidstrup B P *et al*
Keogh B E *et al*
THEODORAKIS G *see* Fitzpatrick A *et al*
THOMAS J *see* Luke R A *et al*
THOMAS P *see* Chakrabarty S *et al*
Winterton S J *et al*
THOMAS S *see* Bergman G *et al*
Jewitt D *et al*
THOMPSON G R *see* Barbir M *et al*
Taha T H *et al*
THOMPSON S G (& Greenberg G, Meade T W) Risk factors for stroke and myocardial infarction in women in the United Kingdom as assessed in general practice: a case-control study 403
TILL J A (& Jones S, Shinebourne E A, Ward D E) Long term follow up of endocardial pacing in children of 15 kg or less 467 *P*
TIMMIS A *see* Davies S *et al*
Gershlick A H *et al*
TIMMIS A D *see* Ambepityia G *et al*
Davies S W *et al*
Gerslick A H *et al*
Henderson R A *et al*
Najm Y C *et al*
Norell M S *et al*
TODA I (& Kawahara T, Murakawa Y, Nozaki A, Kawakubo K, Inoue H, Sugimoto T) Electrophysiological study of young patients with exercise related paroxysms of palpitation: role of atropine and isoprenaline for initiation of supraventricular tachycardia 268
TODD I C (& Ballantyne D) Effect of exercise training on myocardial perfusion in angina pectoris 107 *P*
TONOLO G *see* Polonia J J *et al*
TOYAMA M (& Amano A, Kameda T) Familial aortic dissection: a report of rare family cluster 204
TRAVILL C *see* Fitzpatrick A *et al*
TRAYNER I *see* Taha T H *et al*
TREASURE T *see* Griffin S *et al*
John R M *et al*
Markland C G *et al*
Pugsley W *et al*
Sutton P M I *et al*
Venn G E *et al*
TRUSLER G A *see* Leung M P *et al*
TSIPOURAS P *see* Henney A M *et al*
TUNSTALL-PEDOE H (& Smith W C S, Tavendale R) Cholesterol management algorithms and British serum cholesterol concentrations: implications of the Scottish Heart Health and MONICA Studies 460 *P*
TUNSTALL-PEDOE H D *see* Crombie I K *et al*
TURINA M *see* Goy J-J *et al*
Jenni R *et al*
TURNER M A *see* Winterton S J *et al*
TWEDDEL A (& Martin W, Hutton I) Is syndrome X a variable degree of myopathy? 74 *P*
— — McGhie I, Hutton I) Is the site of myocardial ischaemia reproducible? 107 *P*
— *see also* McGhie I *et al*
TWEDDEL A C (& Martin W, McGhie I, Hutton I) Response of flow and distribution to stress in normal coronary arteries 476 *P*
TWEED J *see* Parameshwar J *et al*
TYNAN M *see* Ladusans E J *et al*
TYNAN M J *see* Baker E J *et al*
Ladusans E J *et al*
Parsons J M *et al*
Priestley K *et al*
Priestley K A *et al*
Qureshi S A *et al*

UNDERWOOD S *see* Davies S *et al*
UNDERWOOD S R (& Prigent F, Mohiaddin R H, Rees R S O, Longmore D B) Magnetic resonance imaging of cardiac sarcoidosis 103 *P*
— (& Walton S, Laming P J, Ell P J, Emanuel R W, Swanton R H) Quantitative phase analysis in the assessment of coronary artery disease 14
— *see also* Mohiaddin R H *et al*

VAN BOVEN V *see* Angelini G *et al*
VANCHERI F (& Gibson D) Relation of third and fourth heart sounds to blood velocity during left ventricular filling 144
VAN DAELE M *see* Smyllie J *et al*
VAN DAELE M E R M (& Sutherland G R, Mitchell M M, Prakash O, Rulf E N, Roelandt J R T C) Is pulmonary wedge pressure a good index of intraoperative myocardial ischaemia? A correlative electrocardiographic and transoesophageal echocardiographic study 477 *P*
— *see also* Fraser A G *et al*
VAN HERWERDEN L *see* Fraser A G *et al*
VARMA M P S *see* Burke E *et al*
VARRICCHIONE T R *see* Glazier J J *et al*
VEJAR M *see* Kaski J C *et al*
VENN G E (& Klinger L, Newman S, Harrison M, Treasure T) Intraoperative cerebral monitoring with a cerebral function analysing monitor predicts neuropsychological outcome after coronary artery surgery 110 *P*
VERMEULEN M *see* Shenasa M *et al*
VIELI A *see* Jenni R *et al*
VIRGINIA M (& Machado L, Stimmler L, Edwards D, Allan L) Acceleration time in the aorta and pulmonary artery in prenatal life and in the newborn in the first week of life 77 *P*

VISSER C *see* Smyllie J *et al*
Sutherland G R *et al*
VLIETSTRA R E *see* Bell M R *et al*
Penny W J *et al*
VON DER LIPPE G *see* Wilcox R G *et al*

WAAGSTEIN F *see* Herlitz J *et al*
WAFA S S (& Ward D E, McKenna W J, Parker D J, Camm A J) Efficacy of flecainide for atrial arrhythmias after open heart surgery 124 *P*
WAGNER R *see* Caforio A *et al*
WAH-HAK N S CHAN- *see* Chan-Wah-Hak N S
WALESBY R *see* Davies S *et al*
WALKER D R *see* Brooks S G *et al*
WALKER J M (& Liu J Y) Is the negative inotropy of angiotensin converting enzyme inhibitors the result of prevention of angiotensin II activity in human atrial muscle? 441 *P*
WALKER M *see* Shaper A G *et al*
Whincup P H *et al*
WALPORT M *see* Gomez P *et al*
WALSH K P (& Martin R P, Arnold R) Percutaneous balloon dilatation for critical pulmonary stenosis in neonates and infants 77 *P*
WALSH M *see* Black F *et al*
WALTON S *see* Underwood S R *et al*
WANNAMETHEE G *see* Shaper A G *et al*
WARD D E *see* Cripps T et al
Farrell T *et al*
Garratt C J *et al*
Griffith M J *et al*
Mehta D *et al*
Paul V E *et al*
Till J A *et al*
Wafa S S *et al*
WATERFIELD S A *see* Barin E S *et al*
WATERHOUSE T D *see* Sanderson J E *et al*
WATLING M I L *see* Davies S W *et al*
WATSON R D S *see* Ahmad R A S *et al*
WEBB D *see* Counihan P J *et al*
Frenneaux M P *et al*
WEBB S W *see* McNeill A J *et al*
WEBB-PEPLOE M M *see* Cooper I C *et al*
Katritsis D *et al*
Smith L D R *et al*
WEDZICHA J *see* Davies S *et al*
WEDZICHA J A *see* Davies S W *et al*
WEERASENA N *see* Pye M *et al*
WEISFELDT M L *see* Buchalter M B et al
WEISS J L *see* Buchalter M B *et al*
WESTERHOF P W *see* Hauer R N W *et al*
WHARTON J (& Anderson R H, Espejo R, Smith A, Penketh R, Polak J M) Development of peptide containing neural and endocrine elements in the human heart 112 *P*
WHEATLEY D J *see* Bloomfield P *et al*
WHINCUP P H (& Cook D G, Shaper A G, Macfarlane D, Walker M) Childhood blood pressure measurements in nine British towns 76 *P*
WHITE D G *see* Withington P S *et al*
WHITE H D (& Rivers J T, Norris R M, Takayama M, Maslowski A, Hart H, Sharpe N, Ormiston J) Comparison of recombinant tissue plasminogen activator and streptokinase for preservation of left ventricular function after myocardial infarction 72 *P*
WHITE N J *see* Pugh S E *et al*
WHITELEY E *see* Sanderson J E *et al*
WICKENS D *see* Davies S *et al*
WILCOX R G (& von der Lippe G, Olsson C G, Jenssen G, Skene A, Hampton J R) Anglo-Scandinavian study of early thrombolysis with recombinant tissue plasminogen activator (rt-PA): a six month mortality study 71 *P*
WILKINSON P *see* Davies S *et al*
WILLIAMS B C *see* Flapan A D *et al*
WILLIAMS D *see* Goudevenos J *et al*
WILLIAMS H M J *see* Bryan A J *et al*
WILLIAMS J D *see* Lewis N P *et al*
WILLIAMS J R *see* Burke E *et al*
WILLIAMS T *see* Chakrabarty S *et al*
WILLIAMS W G *see* Leung M P *et al*
WILSON C M *see* McNeill A J *et al*
WILSON J T *see* Findlay I N *et al*
WILSON N *see* Brooks S G *et al*
WILSON P A POOLE *see* Poole-Wilson P A
WINNER S J (& Boon N A) Hazards associated with the use of temporary pacemakers before permanent pacing 96 *P*
WINTERTON S J (& Thomas P, Turner M A, Sheridan D J) Effects of cardiac hypertrophy on cellular electrophysiology during normal and ischaemic perfusion 442 *P*
WISEMAN M N (& Dyke L J, Dymond D S) Whole bolus ratio: a new technique for assessing valvar regurgitation from first pass radionuclide angiography 465 *P*
— (& Nathan A W) Reversion of atrial fibrillation: intravenous flecainide versus intravenous disopyramide 470 *P*
— *see also* Levy R D *et al*
WITHINGTON P S (& Graham T R, Marrinan M, White D G, Colvin P, Lewis C T) Medium term cardiovascular effects of implantable left ventricular assist devices (LVADs) in the calf 464 *P*
WONG C Y *see* Davies D W *et al*
WORDSWORTH P (& Ogilvie D, Akhras F, Jackson G, Sykes B) Genetic segregation analysis of familial mitral valve prolapse shows no linkage to fibrillar collagen genes 300
WREN C (& Hunter S) Balloon dilatation of a stenosed bioprosthesis in the tricuspid valve position: case report 65
—— *see also* Sreeram N *et al*
Sullivan I D *et al*
WRIGHT C *see* Mulcahy D *et al*
Parameshwar J *et al*
WRIGHT J G C *see* Salmon A P *et al*
WU D-J *see* Onodera T *et al*

YACOUB M *see* Crossman D C *et al*
Ledingham S J M & Yacoub M
Pattison C W *et al*
YACOUB M H *see* Aranki S *et al*
Aravot D *et al*
Archard L C *et al*
Banner N R *et al*
Barbir M *et al*
Dashwood M R *et al*
Kirk C R *et al*
Ladusans E J *et al*
Radley-Smith R & Yacoub M H
YAMADA H *see* Kinoshita O *et al*
YATES A *see* Rosenthal E *et al*
YATES A K *see* Rosenthal E *et al*
YOUSIF H (& Lo E, Taha T, Stockins B, Oakley C) Diagnostic importance of reciprocal ST segment depression in acute myocardial infarction 121 *P*
— *see also* Taha T H et al
YUSUF S *see* MacMahon S *et al*

ZERHOUNI E A *see* Buchalter M B *et al*
ZWIERS G *see* Smyllie J *et al*

SUBJECT INDEX
1989, Volume 61

P = Proceedings of the British Cardiac Society

Acceleration time in the aorta and pulmonary artery in prenatal life and newborn (Virginia *et al*). 77 *P*
Adenosine
and angina pectoris (Crea *et al*). 455 *P*
beneficial effect, during reperfusion after prolonged cardioplegic arrest (Ledingham & Yacoub). 442 *P*
during sinus rhythm showing latent pre-excitation (Garratt *et al*). 467 *P*
effect on pre-excitation induced by exercise (Garratt *et al*). 475 *P*
in termination of ventricular tachycardia, comparative efficacy and safety (Griffith *et al*). 123 *P*
or verapamil for supraventricular tachycardia (Ranking *et al*). 123 *P*
Alcohol and cardiovascular mortality (Shaper *et al*). 88 *P*
related myocardial disease, immunological marker for (Cleland *et al*). 113 *P*
Ambulatory ST segment, deviation after myocardial infarction, implications for exercise ischaemia and left ventricular function (Currie & Saltissi). 454 *P*
monitoring, indications to perform in coronary artery disease and negative exercise test (Mulcahy *et al*). 106 *P*
Amiodarone in hypertrophic cardiomyopathy and ventricular tachycardia, long term survival (McKenna *et al*). 472 *P*
low dose, trial in severe heart failure and frequent ventricular extrasystoles (Stewart *et al*). 459 *P*
Amyloid polyneuropathy, familial, impaired left ventricular diastolic filling (Kinoshita *et al*). 198
Angina pectoris
and adenosine (Crea *et al*). 455 *P*
and cold intolerance, effect of nifedipine and propranolol (Peart *et al*). 532
in coronary artery disease, left ventricular filling and early diastolic function during (Dawson & Gibson). 248
and coronary artery disease receiving standard medical treatment, is silent ischaemia common (Mulcahy *et al*). 445 *P*
effect of exercise training on myocardial perfusion (Todd & Ballantyne). 107 *P*
intractable, and epidural stimulation (Sanderson *et al*). 462 *P*
perception in diabetes, evidence of silent exertional ischaemia (Ambepityia *et al*). 437 *P*
questionnaire, Rose, using (Cook & Shaper). 114 *P*
unstable, in association with saccular aneurysm of coronary artery, serial angiographic findings during development: case report (Goudevenos *et al*). 372
variant, spontaneous coronary spasm results from local coronary hyperreactivity to generalised constrictor stimulus (Kaski *et al*). 456 *P*
Angiographic findings, serial, during development of saccular aneurysm of coronary artery in association with unstable angina: case report (Goudevenous *et al*). 372
Angioplasty *see* Percutaneous transluminal coronary angioplasty
Angiotensin converting enzyme inhibitors, negative inotropy, possible result of prevention of angiotensin II activity, human atrial muscle (Walker & Liu). 441 *P*
Aortic
dissection, familial, report of rare family cluster (Toyama *et al*). 204
transoesophageal echocardiography in diagnosis, cooperative multicentre trial (Sutherland *et al*). 125 *P*
recoarctation, balloon dilatation as treatment of choice (Sullivan *et al*). 480 *P*
regurgitation, and pressure half time (Samstad *et al*). 336
root abscess complicating aortic valve endocarditis (John *et al*). 93 *P*
stenosis, congenital, in childhood, balloon dilatation of aortic valve (Sullivan *et al*). 186
critical, neonates with severe endocardial fibroelastosis, results of percutaneous balloon dilatation (Ladusans *et al*). 470 *P*
limit of operability (Markland *et al*). 126 *P*
ventricular stroke work loss as alternative method of quantifying severity (Sprigings *et al*). 451 *P*
valve, area, normal and stenotic, measurement, in vitro physiological method, and Doppler echocardiography compared (Rosenthal *et al*). 102 *P*
balloon dilatation, for congenital aortic stenosis in childhood (Sullivan *et al*). 186
mechanism, magnitude, and duration of effects (Rosenthal *et al*). 92 *P*
disease causing left ventricular hypertrophy, prevalence of ventricular arrhythmias (Al-Riyami *et al*). 450 *P*
endocarditis, aortic root abscess complicating (John *et al*). 93 *P*
homovital, homografts, evaluation (Aranki *et al*). 126 *P*
stenosis, critical, diagnosed by fetal echocardiography, perinatal management: case report (Robertson *et al*). 365
valvotomy for critical aortic stenosis, neonates and infants aged less than one year (Balaji *et al*). 358
Aortography and computed tomographic scanning in investigation of suspected acute thoracic aortic dissection (Morgan *et al*). 466 *P*
Aortoplasty, symmetrical, repair for supravalvar aortic stenosis (Angelini *et al*). 482 *P*
Aprotinin effect on blood conservation during cardiac surgery (Bidstrup *et al*). 111 *P*
Arcing with multiple high voltage low energy shocks in cardiac ablation (Barin *et al*). 469 *P*
Arrhythmias
atrial, after open heart surgery, flecainide efficacy (Wafa *et al*). 124 *P*
in Bartter's syndrome, electrocardiographic findings and frequency (Blomström-Lundqvist *et al*). 274
life threatening, prediction in hypertrophic cardiomyopathy using high gain, signal averaged electrocardiography (Cripps *et al*). 124 *P*
during sleep in chronic heart failure (Davies *et al*). 458 *P*
ventricular, unassociated with acute myocardial infarction, electrophysiological study of survivors outside hospital (Dickey *et al*). 118 *P*
Arteriographic underestimations of vessel diameter leading to overestimation of severity of stenosis (Pappageorgio *et al*). 478 *P*
Arteriovenous bypass grafting, distension during surgical preparation reduces short term patency, pig (Bryan *et al*). 464 *P*
Artificial valve, normal function, colour and continuous wave Doppler to assess (Kambouroglou *et al*). 126 *P*
Aspirin, oral, and intravenous streptokinase in acute myocardial infarction, ISIS-2 large randomised trial (Collins *et al*). 71 *P*
Atheroma, magnetic resonance chemical shift imaging (Mohiaddin *et al*). 119 *P*
Atherosclerotic human coronary vessels preserve dilator response to substance P in vivo (Crossman *et al*). 455 *P*
Atherosclerosis, evidence for increased tissue type plasminogen activator inhibitor complexes (Andreotti *et al*). 100 *P*
Athletes, endurance, male veteran, electrocardiographic findings (Northcote *et al*). 155
Atrial
arrhythmias after open heart surgery, flecainide efficacy (Wafa *et*

al). 124 P
fibrillation, mitral stenosis haemodynamic assessment (Davies et al). 116 P
QT interval (Pai & Rawles). 510
reversion, intravenous flecainide versus intravenous disopyramide (Wiseman & Nathan). 470 P
flutter, spontaneous, 133 cases, electrophysiological characteristics and factors affecting successful conversion (Cunningham et al). 123 P
pathology, left transoesophageal echocardiography to visualise (de Belder et al). 478 P
pressure rise does not limit exercise capacity in hypertrophic cardiomyopathy (Frenneaux et al). 118 P
natriuretic factor, plasma concentrations, increase by atriopeptidase inhibition in heart failure, diastolic function effects (Northridge et al). 458 P
low dose infusions in chronic heart failure, haemodynamic and renal effects (Polonia et al). 86 P
plasma, in myocardial infarction, effects of streptokinase (Phillips et al). 139
septal defect, and sinus arrhythmia, children, analysis of heart rate variability before and after surgical repair (Finley et al). 280
Atrioventricular
delay, optimal, at rest and during exercise, and dual chamber pacemakers, non-invasive assessment by continuous wave Doppler (Mehta et al). 161
intervals, different, to improved exercise performance, importance, in patients in dual chamber pacemakers (Haskell & French). 46
node, does it conduct: review (Meijler & Fisch). 309
human, fatigue and slow recovery (Shenasa et al). 103 P
septal defects, cross sectional echocardiography for recognition of ventricular topology (Carvalho et al). 285
magnetic resonance imaging, correlates with echocardiographic, angiographic, and surgical findings, children (Parsons et al). 117 P
Atropine in initiation of supraventricular tachycardia (Toda et al). 268
Autoantibodies, novel cardiac specific circulating, in dilated cardiomyopathy (Caforio et al). 73 P
Autoimmune polyendocrinopathy and systemic hypertension, circulating autoantibodies against "myoendocrine" cells (Caforio et al). 457 P
Autologous skeletal muscle for long term counterpulsation, sheep (Pattison et al). 448 P

Balloon dilatation *see* Percutaneous transluminal coronary angioplasty
Baroreceptor sensitivity after myocardial infarction correlation with electrophysiological studies (Farrell et al). 472 P
Bartter's syndrome, electrocardiographic findings and arrhythmia frequency (Blomström-Lundqvist et al). 274
Beta, adrenoreceptor mediated activity, intracoronary injections of salbutamol to show (Hall et al). 108 P
Bifurcation lesions angioplasty in major coronary vessels (Bergman et al). 84 P
Björk-Shiley prostheses, ten year results of randomised trial (Bloomfield et al). 452 P
Blalock-Taussig shunts, stenosed, balloon dilatation (Qureshi et al). 432
Blood
flow, pulmonary, ratio to systemic, determination by continuous wave Doppler spectra (Jenni et al). 167
pressure, impaired response to exercise in coronary artery disease (Okamatsu et al). 149
measurements, childhood, nine towns, Britain (Whincup et al). 76 P
velocity, relation of third and fourth heart sounds during left ventricular filling (Vancheri & Gibson). 144
Brachiocephalic vein, anomalous subaortic position, review and 3 new cases (Gerlis & Ho). 540
Bradycardia, propranolol induced, in tetralogy of Fallot: case report (Clark et al). 378
Breathlessness, lung function, and risk of heart attack (Cook & Shaper). 122 P
British Heart Journal, 50 year perspective: Jubilee editorial (Krikler). 1

Captopril
does not potentiate action of loop diuretics in heart failure (Flapan et al). 87 P
effect and free radical activity in chronic heart failure (McMurray et al). 457 P
neuroendocrine responses, in acute heart failure after myocardial infarction (McAlpine et al). 81 P
Cardiac
arrests, semiautomatic difibrillator accuracy during (Dickey et al). 98 P
failure, experimental chronic, electrophysiological changes in animal model (Doherty). 104 P
hypertrophy effects on cellular electrophysiology during normal and ischaemic perfusion (Winterton et al). 442 P
rehabilitation after open heart surgery, return to work (Black et al). 448 P
Cardiogenic shock
monitoring oxygen transport (Creamer et al). 445 P
thrombolytic treatment (Burke et al). 88 P
Cardiolipin antibodies, raised, associated with systemic lupus erythematosus (Gomez et al). 80 P
Cardiomyopathy
dilated, and enterovirus RNA in myocardium (Archard et al). 73 P
distinction from anomalous origin of left coronary artery (Koike et al). 192
epidemiological features (Codd et al). 80 P
hypocapnia during exercise testing (Moore et al). 435 P
idiopathic national history, population based and referred cohorts compared (Sugrue et al). 88 P
novel cardiac specific circulating autoantibodies (Caforio et al). 73 P
hypertrophic, abnormal peripheral vascular response, relation to clinical and prognostic features (Counihan et al). 456 P
Doppler diastolic indices, association with functional capacity (Karatasakis et al). 100 P
epidemiological features (Codd et al). 80 P
evidence in abnormal vasodilator response (Frenneaux et al). 74 P
exercise capacity, objective assessment (Frenneaux et al). 75 P
hypocapnia during exercise testing (Moore et al). 435 P
left atrial pressure rise does not limit exercise capacity (Frenneaux et al). 118 P
prediction of life threatening arrhythmias using high gain, signal averaged electrocardiography (Cripps et al). 124 P
and sustained uniform ventricular tachycardia, associated with left ventricular apical aneurysm (Alfonso et al). 178
and ventricular tachycardia, long term survival with amiodarone (McKenna et al). 472 P
without hypertrophy, description of two families with premature cardiac death and myocardial disarray in absence of increased muscle mass (McKenna et al). 75 P
restrictive, and constrictive pericarditis, non-invasive distinction by digitised M mode echocardiography (Morgan et al). 29
Cardioplegia, cold, protection or not by tight coronary stenoses (Sutton et al). 109 P
Cardioplegic arrest, prolonged, beneficial effect of adenosine during reperfusion, after (Ledingham & Yacoub). 442 P
Cardioscint
new system for continuous evaluation of left ventricular function (Lahiri et al). 102 P
validation, system for continuous monitoring of left ventricular function (Broadhurst et al). 465 P

Cardiovascular
disease, fatal, and diagonal earlobe creases, necropsy study (Kirkham *et al*). 361
mortality, and alcohol (Shaper *et al*). 88 *P*
Cardioversion, transoesophageal DC (McKeown *et al*). 96 *P*
Carpentier-Edwards prostheses, ten year results of randomised trial (Bloomfield *et al*). 452 *P*
Catheter, multipurpose, clinical experience of coronary angiography by femoral route (Skehan *et al*). 108 *P*
Central haemodynamic changes after meal (Kelbæk *et al*). 506
Cerebral
function analysing monitor as sole predictor of neurological damage after coronary artery bypass surgery (Nevin *et al*). 449 *P*
impairment and microemboli during cardiac surgery, Doppler detection (Pugsley *et al*). 463 *P*
montoring, intraoperative, with cerebral function analysing monitor predicts neuropsychological outcome after coronary artery surgery (Venn *et al*). 110 *P*
Childhood blood pressure measurements, nine towns, Britain (Whincup *et al*). 76 *P*
Cholesterol
management algorithms and British serum cholesterol concentrations (Tunstall-Pedoe *et al*). 460 *P*
serum, blood pressure and smoking in coronary artery disease (Chen *et al*). 460 *P*
Coarctation hypertension induction, inositol phosphate production and proto-oncogene expression in left ventricle after, rat (Heagerty *et al*). 440 *P*
Cold intolerance in angina pectoris, effect of nifedipine and propranolol (Peart *et al*). 521
Collagen genes and mitral valve prolapse (Henney *et al*). 292 (Wordsworth *et al*). 300
Collateral vessels, left ventricular damage and coronary disease, association after infarction and exercise (de Belder *et al*). 83 *P*
Colour
and continuous wave Doppler to assess normal function of artificial valve (Kambouroglou *et al*). 126 *P*
Doppler flow mapping, and digital computer analysis value in measurement of mitral regurgitation in vitro (Simpson). 106 *P*
impact on assessment of congenital heart disease (Houston *et al*). 120 *P*
imaging advantages in diagnosis of left ventricular pseudoaneurysm (Sutherland *et al*). 59; 81 *P*
in detection of intracardiac fistulas after aortic valve surgery for endocarditis (Smyllie *et al*). 449 *P*
echocardiography, and Doppler, role before, during, and after mitral valve dilatation (Monaghan *et al*). 79 *P*
as intraoperative angiography in ventricular septal defects, advantages and pitfalls (Sutherland *et al*). 127 *P*
Complete heart block, children, how many will need pacemaker (Priestley *et al*). 481 *P*
Computed tomographic scanning, and aortography in investigation of suspected acute thoracic aortic dissection (Morgan *et al*). 466 *P*
Congenital heart disease
colour Doppler flow mapping impact on assessment (Houston *et al*). 120 *P*
determination of left ventricular volumes by Simpson's rule, infants and children (Ino *et al*). 182
value of transoesophageal echocardiography, adolescents and adults (Sutherland *et al*). 480 *P*
Constrictive pericarditis and restrictive cardiomyopathy, noninvasive distinction by digitised M mode echocardiography (Morgan *et al*). 29
Contraction excitation feedback, new approach (Taggart *et al*). 111 *P*
Coronary artery bypass surgery
because of angina, silent myocardial ischaemia in patients referred for, compared with those well-controlled on medical treatment (Mulcahy *et al*). 496
graft stenosis, stent implantation for treatment (Beatt *et al*). 446 *P*
intraoperative cerebral monitoring with cerebral function analysing monitor predicts neuropsychological outcome after (Venn *et al*). 110 *P*
cerebral function analysing monitor as sole predictor of neurological damage after (Nevin *et al*). 449 *P*
emergency, after vessel occlusion at angioplasty in centres without on-site facilities for cardiac surgery (Shaw *et al*). 438 *P*
Coronary
arteries(y), chronically occluded, laser wire for percutaneous angioplasty (Bowes *et al*). 438 *P*
disease
and angina receiving standard medical treatment, is silent ischaemia common (Mulcahy *et al*). 445 *P*
associated with high insulin and C-peptide concentration, Asians (Hughes *et al*). 445 *P*
felodipine as single agent, effects of treatment (Metcalfe *et al*). 258
after heart transplantation, lipid abnormalities influence on development (Barbir *et al*). 462 *P*
impaired blood pressure response to exercise (Okamatsu *et al*). 149
left ventricular filling and early diastolic function during angina (Dawson & Gibson). 248
and negative exercise test, indications to perform ambulatory ST segment monitoring (Mulcahy *et al*). 106 *P*
quantitative phase analysis in assessment (Underwood *et al*). 14
relations of serum cholesterol, blood pressure and smoking habit (Chen *et al*). 460 *P*
single vessel, percutaneous transluminal coronary angioplasty and left ventricular function (Najm *et al*). 262
unemployment, and socio-environmental factors, Scotland (Crombie *et al*). 172
ectasia, prevalence, frequency of hyperlipidaemia, and influence on myocardial perfusion (Taha *et al*). 82 *P*
left anomalous, late left ventricular function after anatomical correction (Kirk *et al*). 110 *P*
anomalous origin from pulmonary trunk, distinction from dilated cardiomyopathy (Koike *et al*). 192
lesions range and requirement for coronary arteriography in post-infarct ventricular septal defects (Smyllie *et al*). 114 *P*
normal, response of flow and distribution to stress (Tweddel *et al*). 476 *P*
normal and diseased, densitometric angiographic assessment, validation of technique (de Belder *et al*). 115 *P*
occlusion, myocardial infarction during, platelets influence on extent (Chakrabarty *et al*). 78 *P*
atherogenesis, early, and myocardial infarction in Asians, and glucose metabolism (Hughes *et al*). 78 *P*
care unit, direct admission to, impact on thrombolytic treatment (Burns *et al*). 322
lesions, effect on results of percutaneous coronary angioplasty (Balcon *et al*). 446 *P*
ostial stenosis after radiotherapy, angioplasty or coronary artery surgery: case report (Handler *et al*). 208
spasm, spontaneous, variant angina results from local coronary hyperreactivity to generalised constrictor stimulus (Kaski *et al*). 456 *P*
thrombosis inhibition with low dose tissue plasminogen activator (t-PA) (Fox *et al*). 73 *P*
vessels, major, angioplasty of bifurcation lesions (Bergman *et al*). 84 *P*
Correction 484
Correspondence
Correcting a block?: successful experience of a small British pacing centre (Joseph). 212
Demonstration of the ascending aorta in infective endocarditis by intravenous digital subtraction angioplasty (Smyllie *et al*). 554
Influence of age on Doppler echocardiographic indices of left

ventricular diastolic function (Abinader & Sharif). 483
Pitfalls and limitations in the use of impedance cardiography (de Mey & Belz: Smith). 128
Counterpulsation, long term, use of trained autologous skeletal muscle, sheep (Pattison *et al*). 448 *P*
C-peptide and high insulin concentration associated with coronary disease, Asians (Hughes *et al*). 445 *P*
Cross sectional echocardiography for recognition of ventricular topology in atrioventricular septal defect (Carvalho *et al*). 285

Davies MJ Assistant Editor 3
Defibrillator
current based, microprocessor controlled, initial experience (Dalzell *et al*). 502
semiautomatic, accuracy during cardiac arrests (Dickey *et al*). 98 *P*
Denervated heart, and isometric exercise, Doppler echocardiographic study (Robson *et al*). 224
Diabetes perception of angina, evidence of silent exertional ischaemia (Ambepityia *et al*). 437 *P*
Diabetic autonomic neuropathy, and QT prolongation (Chambers *et al*). 97 *P*
Diabetic men with autonomic neuropathy, and silent ischaemia and QT prolongation (O'Sullivan *et al*). 444 *P*
Diagonal earlobe creases and fatal cardiovascular disease, necropsy study (Kirkham *et al*). 361
Digital
computer analysis, and colour Doppler flow mapping, value in measurement of mitral regurgitation in vitro (Simpson). 106 *P*
subtraction angiography, intravenous, in demonstration of ascending aorta in infective endocarditis: correspondence (Smyllie *et al*). 554
coronary angiograms after PTCA comparison of analysis measurements (Katritsis *et al*). 85 *P*
Digitised M mode echocardiography in non-invasive distinction of restrictive cardiomyopathy and constrictive pericarditis (Morgan *et al*). 29
Digoxin
effects in ventricular septal defects, and heart failure in infants (Salmon *et al*). 115 *P*
effects of withdrawal and reintroduction in heart failure in sinus rhythm after long term treatment (Pugh *et al*). 529
Diltiazem
in comparison of silent ischaemia after infarction and in chronic stable angina (Khan *et al*). 471 *P*
myocardial protection, during percutaneous coronary angioplasty (Seth *et al*). 439 *P*
Disopyramide
intravenous, versus intravenous flecainide in reversion of atrial fibrillation (Wiseman & Nathan). 470 *P*
in termination of ventricular tachycardia comparative efficacy and safety (Griffith *et al*). 123 *P*
Distension during surgical preparation reduces short term patency in arteriovenous bypass grafting, pig (Bryan *et al*). 464 *P*
Dobutamine, and dopexamine haemodynamic effects compared in severe heart failure (Tan *et al*). 87 *P*
Dopexamine and dobutamine haemodynamic effects compared in severe heart failure (Tan *et al*). 87 *P*
Doppler
analysis of blood flow in superior vena cava, clinical and echocardiographic correlation (Parsons *et al*). 481 *P*
and colour flow mapping, and echocardiography, role before, during, and after mitral valve dilatation (Monaghan *et al*). 79 *P*
technology in search of an application: review (Monaghan & Mills). 133
continuous wave spectra, in determination of ratio of pulmonary blood flow to systemic blood flow (Jenni *et al*). 167
diastolic indices, association with functional capacity in hypertropic cardiomyopathy (Karatasakis *et al*). 100 *P*
echocardiography characteristics of prosthetic valves in tricuspid position (Pye *et al*). 92 *P*
indices, left ventricular diastolic function, influence of age: correspondence (Abinader & Sharif). 483
use in determination of left ventricular dP/dt max (Hunt *et al*). 116 *P*
isometric exercise in denervated heart (Robson *et al*). 224
pulsed, left ventricular diastolic filling in cardiac amyloidosis (Kinoshita *et al*). 198
Double
inlet ventricle and tricuspid atresia, is pulmonary artery banding obsolete (Franklin *et al*). 479 *P*
outlet right ventricle, morphology shown by magnetic resonance imaging (Parsons *et al*). 480 *P*
with subpulmonary ventricular septal defect, venous compared with anatomical repair (Musumeci & Lincoln). 89 *P*
dP/dt max, left ventricular, Doppler echocardiography in determination (Hunt *et al*). 116 *P*
Ductus arteriosus, percutaneous closure, severe haemolysis after: case report (Ladusans *et al*). 548
Dyspnoea on exercise in chronic heart failure, dissociated from hyperventilation (Davies *et al*). 443 *P*

Earlobe creases, diagonal, and fatal cardiovascular disease, necropsy study (Kirkham *et al*). 361
Early diastolic function, and left ventricular filling during angina in coronary artery disease (Dawson & Gibson). 248
Echocardiography and Doppler and colour flow mapping, role of before, during, and after mitral valve dilatation (Monaghan *et al*). 79 *P*
Editor, Krikler D M 3
Editorial
Reactive oxygen metabolites and the human myocardium (Burrell & Blake). 4
Successful and unsuccessful coronary thrombolysis (Davies). 381
Electrical bioimpedance cardiography, in non-invasive measurement of cardiac output during myocardial infarction (Findlay *et al*). 444 *P*
Electrocardiographic findings in male veteran endurance athletes (Northcote *et al*). 155
Electrode catheter ablation for ventricular tachycardia, efficacy of single cathodal shock (Hauer *et al*). 38
Enalapril effects on myocardial noradrenaline overflow during exercise in chronic heart failure (Mulligan *et al*). 23
Endocardial fibroelastosis, severe, neonates with critical aortic stenosis, results of percutaneous balloon dilatation (Ladusans *et al*). 470 *P*
Endocarditis in intravenous drug abusers with staphylococcal septicaemia (Burns *et al*). 356
125,-Endothelin binding sites, autoradiographic localisation, ischaemic heart disease changes (Dashwood *et al*). 440 *P*
Enterovirus RNA in myocardium with dilated cardiomyopathy (Archard *et al*). 73 *P*
Epicardial
approach to surgical treatment of Wolff-Parkinson-White syndrome (Ratnatunga *et al*). 462 *P*
electrogram during successive balloon occlusion during percutaneous transluminal coronary angioplasty (Taggart *et al*). 84 *P*
mapping, computerised intraoperative, of QRS alternans during orthodromic tachycardia, new insights (Shenasa *et al*). 96 *P*
Epidural spinal stimulation in intractable angina (Sanderson *et al*). 462 *P*
Epoprostenol infusion during coronary angioplasty, effect (Gershlick *et al*). 461 *P*
Exercise
after heart and heart-lung transplantation (Banner *et al*). 215
capacity, in hypertrophic cardiomyopathy, objective assessment (Frenneaux *et al*). 75 *P*
increased, and reversal of exercise induced myocardial ischaemia in haemodialysis treated with recombinant human erythropoietin (Lewis *et al*). 436 *P*

reduced, inefficient gait contributes to, in chronic heart failure (Davies *et al*). 437 *P*
and symptoms in severe heart failure, effect of flosequinan (Elborn *et al*). 331
during, and at rest, optimal atrioventricular delay, patients with dual chamber pacemakers, non-invasive assessment by continuous wave Doppler (Mehta *et al*). 161
impaired blood pressure response to, in coronary artery disease (Okamatsu *et al*). 149
induced non-ischaemic right ventricular tachycardias, reproducibility (Mehta *et al*). 474 *P*
isometric, in denervated heart, Doppler echocardiographic study (Robson *et al*). 224
pre-excitation induced, associated with anteroseptal accessory atrioventricular connections sensitive to adenosine and verapamil (Garratt *et al*). 475 *P*
with QT shortening, influence of pacing rate (Coghlan *et al*). 469 *P*
related paroxysmal ventricular tachycardia, role of atropine and isoprenaline (Toda *et al*). 268
renography in heart failure (Conway *et al*). 80 *P*
test, new, for assessment of heart failure, use of self powered treadmill (Parameshwar *et al*). 421
testing, hypocapnia during, in dilated cardiomyopathy and hypertrophic cardiomyopathy (Moore *et al*). 435 *P*
soon after myocardial infarction (Peart *et al*). 231
training, effect on myocardial perfusion in angina pectoris (Todd & Ballantyne). 107 *P*

Fatigue and slow recovery in human atrioventricular node (Shenasa *et al*). 103 *P*
Felodipine as single agent in coronary artery disease, effects of treatment (Metcalfe *et al*). 258
Fetal echocardiography, diagnosis of critical aortic valve stenosis perinatal management: case report (Robertson *et al*). 365
Fibreoptic disposable catheter-tip pressure transducer of very small dimensions for cardiovascular investigations (Pappageorgio *et al*). 457 *P*
Fibrillation and ventricular tachycardia, hospital mortality (Dougeni-Christacou *et al*). 125 *P*
Filling, active, of left ventricle, evidence, study of association of ventricular torsion, and ventricular volume (Smith). 113 *P*
First pass radionuclide angiography, assessment of valvar regurgitation by new technique, whole bolus ratio (Wiseman *et al*). 465 *P*
Fitness and coronary risk factors (Davies *et al*). 444 *P*
Flecainide
efficacy for atrial arrhythmias after open heart surgery (Wafa *et al*). 124 *P*
intravenous, versus intravenous disopyramide in reversion of atrial fibrillation (Wiseman & Nathan). 470 *P*
in termination of ventricular tachycardia, comparative efficacy and safety (Griffith *et al*). 123 *P*
Flosequinan effect on exercise capacity and symptoms in severe heart failure (Elborn *et al*). 331
Fontan reconstruction
in vitro flow studies to improve hydrodynamic design (Kilner *et al*). 89 *P*
abnormal cardiac signs after, indicators of residua and sequelae (Leung *et al*). 52
Fox K M Assistant Editor 3
Fragile X syndrome, cardiac abnormalities (Sreeram *et al*). 289
Free radical
chronic heart failure and effect of captopril (McMurray *et al*). 457 *P*
circulating concentrations in myocardial infarction (Higham *et al*). 454 *P*
generation by myocardium, comparative lack during cardiac surgery (Davies *et al*). 78 *P*
and myocardial function: editorial (Burrell & Blake). 4
Frontal plane axis significance in non-ischaemic right ventricular tachycardias (Mehta *et al*). 474 *P*

Gait, inefficient, contributes to reduced exercise capacity in chronic heart failure (Davies *et al*). 437 *P*
Glucose metabolism, and early coronary atherogenesis and myocardial infarction in Asians (Hughes *et al*). 78 *P*
Great arteries, magnetic resonance imaging, infants (Baker *et al*). 75 *P*
Growth potential of immature lung transplantation, immature rat (Hislop *et al*). 82 *P*

Haemodialysis treated with recombinant human erythropoietin, increased exercise capacity and reversal of exercise induced myocardial ischaemia (Lewis *et al*). 436 *P*
Haemolysis, severe, after percutaneous closure of ductus arteriosus: case report (Ladusans *et al*). 548
Hancock prostheses, ten year results of randomised trial (Bloomfield *et al*). 452 *P*
Heart
attack risk, breathlessness, and lung function (Cook & Shaper). 122 *P*
failure, atrial natriuretic factor plasma concentration increase by atriopeptidase inhibition (Northridge *et al*). 458 *P*
captopril does not potentiate action of loop diuretics (Flapan *et al*). 87 *P*
chronic, dyspnoea on exercise, dissociated from hyperventilation (Davies *et al*). 443 *P*
hyperventilation response to exercise, critical level of exercise capacity determines (Davies *et al*). 436 *P*
hypoxia, myocardial ischaemia and arrhythmias during sleep (Davies *et al*). 458 *P*
inefficient gait contributes to reduced exercise capacity (Davies *et al*). 437 *P*
low dose infusions of atrial natriuretic peptide, haemodynamic and renal effects (Polonia *et al*). 86 *P*
dopexamine and dobutamine haemodynamic effects compared (Tan *et al*). 87 *P*
and exercise renography (Conway *et al*). 80 *P*
free radical activity and effect of captopril (McMurray *et al*). 457 *P*
left, chronic, pulmonary capillary permeability (Davies *et al*). 477 *P*
new exercise test for assessment, use of self powered treadmill (Parameshwar *et al*). 421
phosphorus magnetic resonance spectroscopy of leg muscle (Arnolda *et al*). 459 *P*
prevalence in two general practices (Parameshwar *et al*). 114 *P*
severe, flosequinin effect on exercise capacity and symptoms (Elborn *et al*). 331
skeletal muscle and whole body protein turnover (Morrison *et al*). 459 *P*
and ventricular septal defects, digoxin effects, infants (Salmon *et al*). 115 *P*
and heart-lung transplantation, in children (Radley-Smith & Yacoub). 91 *P*
exercise after (Banner *et al*). 215
rate variability after myocardial infarction, prognostic value (Farrell *et al*). 121 *P*
sounds, third and fourth, relation to blood velocity during left ventricular filling (Vancheri & Gibson). 144
transplantation in patients with present or past malignant neoplasms (Aravot *et al*). 464 *P*
Heparin
effect on platelet thrombus deposition and vasospasm after arterial angioplasty (Penny *et al*). 117 *P*
in myocardial infarction, reduction in major morbidity and mortality (MacMahon *et al*). 118 *P*
High
density lipoprotein cholesterol, triglycerides, and ischaemic heart disease, reappraisal (Pocock *et al*). 106 *P*
gain, signal averaged, electrocardiography in prediction of arrhythmias in hypertrophic cardiomyopathy (Cripps *et al*). 124 *P*
Hirudin, effect on platelet thrombus deposition and vasospasm after

arterial angioplasty (Penny *et al*). 117 *P*
Hollow wire to facilitate percutaneous transluminal coronary angioplasty of occluded vessels (Smith *et al*). 326
Homografts, homovital aortic valve, evaluation (Aranki *et al*). 126 *P*
Hyperarathyroidism, primary, and essential hypertension association between blood pressure, left ventricular mass, and free cytosolic calcium (Dominiczak *et al*). 104 *P*
Hypertension, essential, and primary hyperparathyroidism, association between blood pressure, left ventricular mass, and free cytosolic calcium (Dominiczak *et al*). 104 *P*
Hyperventilation
dyspnoea on exercise in chronic heart failure, dissociated from (Davies *et al*). 443 *P*
response to exercise in chronic heart failure, critical level of exercise capacity determines (Davies *et al*). 436 *P*
Hypocapnia during exercise testing in dilated cardiomyopathy and hypertrophic cardiomyopathy (Moore *et al*). 435 *P*
Hypoxia during sleep in chronic heart failure (Davies *et al*). 458 *P*

Immunological marker for alcohol related myocardial disease (Cleland *et al*). 113 *P*
Impedance cardiography, pitfalls and limitations in use: correspondence (de Mey & Belz: Smith). 128
Indium-111 labelled monoclonal antimyosin antibody for detection of myocardial necrosis in subendocardial infarction and unstable angina (Levy *et al*). 101 *P*
Infarct related vessel, results of successful and unsuccessful thrombolysis (Onodera *et al*). 385
Infective endocarditis
demonstration of ascending aorta, by intravenous digital subtraction angiography: correspondence (Smyllie *et al*). 554
precordial and transoesophageal echocardiography in spectrum, comparative value (Taams *et al*). 93 *P*
Inositol phosphate production and proto-oncogene expression in left ventricle after induction of coarctation hypertension, rat (Heagerty *et al*). 440 *P*
Insulin, high, and C-peptide concentration, associated with coronary disease, Asians (Hughes *et al*). 445 *P*
Internal mammary graft
improved patency rates to small vessels with (Pepper *et al*). 109 *P*
percutaneous transluminal angioplasty (Bell *et al*). 417
Intracardiac fistulas, detection by colour flow mapping after aortic valve surgery for endocarditis (Smyllie *et al*). 449 *P*
Intravascular three dimensional imaging of the arteries, novel ultrasound system (Burrell *et al*). 476 *P*
Ischaemic heart disease
cardiac sympathetic neural activity (McCance). 105 *P*
high density lipoprotein cholesterol, and triglycerides, reappraisal (Pocock *et al*). 106 *P*
and noradrenaline kinetics (McCance & Forfar). 238
Ischaemia, silent and symptomatic, functional and angiographic comparison (Fox *et al*). 436 *P*
ISIS-2: large randomised trial of intravenous streptokinase and oral aspirin in acute myocardial infarction (Collins *et al*). 71 *P*
Isolated heart block, sinus of Valsalva unruptured aneurysm presenting with, echocardiographic diagnosis and successful surgical repair: case report (Ahmad *et al*). 375
Isoprenaline
as aid to induction of catecholamine dependent supraventricular tachycardias during programmed stimulation (Brembilla-Perrot *et al*). 348
an initiation of supraventricular tachycardia (Toda *et al*). 268

Jubilee Editorial
A 50 year perspective: the British Heart Journal
A title lost, but a reputation won (Krikler). 1

Kensey catheter in occlusive vascular disease (Gehani *et al*). 85 *P*
Krikler D M Editor 3

Laser
generated tissue debris causes considerable platelet aggregation in vitro (Scriven & Nathan). 447 *P*
thermal angioplasty, limitations in coronary circulation (Keogh *et al*). 86 *P*
for peripheral to coronary arteries (Rosenthal *et al*). 99 *P*
wire for percutaneous angioplasty of chronically occluded coronary arteries (Bowes *et al*). 438 *P*
Lignocaine in termination of ventricular tachycardia, comparative efficacy and safety (Griffith *et al*). 123 *P*
Lipid abnormalities influence on development of coronary arterial disease after heart transplantation (Barbir *et al*). 462 *P*
Loading conditions, effect on right ventricular pressure-volume association (Redington *et al*). 81 *P*
Lung
function, breathlessness, and risk of heart attack (Cook & Shaper). 122 *P*
preservation, 12 hour, deleterious effects of prostaglandin E1 (Bonser *et al*). 463 *P*
transplantation, immature, growth potential, immature rat (Hislop *et al*). 82 *P*

Magnetic resonance imaging
of atrioventricular septal defects correlates with echocardiographic, angiographic, and surgical findings, children (Parsons *et al*). 117 *P*
of cardiac sarcoidosis (Underwood *et al*). 103 *P*
chemical shift, atheroma (Mohiaddin *et al*). 119 *P*
in double outlet right ventricle morphology (Parsons *et al*). 480 *P*
of the great arteries in infants (Baker *et al*). 75 *P*
Magnetic resonance tagging in measurement of human left ventricular twist (Buchalter *et al*). 112 *P*
Malignant neoplasms, present or past, and heart transplantation (Aravot *et al*). 464 *P*
Microemboli and cerebral impairment during cardiac surgery, Doppler detection (Pugsley *et al*). 463 *P*
Microembolism, middle cerebral artery, bubble oxygenator with arterial line filter, and membrane oxygenator alone, compared (Griffin *et al*). 449 *P*
Microprocessor controlled current based defibrillator, initial experience (Dalzell *et al*). 502
Mills P G Assistant Editor 3
Mitral
bioprostheses implantation, tricuspid regurgitation and pulmonary artery pressure, five years after (Ikram *et al*). 450 *P*
prostheses with transoesophageal echocardiography, assessment (Nihoyannopoulos *et al*). 471 *P*
regurgitation measurement in vitro, value of colour Doppler flow mapping and digital computer analysis (Simpson). 106 *P*
stenosis, haemodynamic assessment, in presence of atrial fibrillation (Davies *et al*). 116 *P*
inoperable, and balloon dilatation of mitral valve (Shaw *et al*). 452 *P*
left ventricular dysfunction, possible cause by isolated posterobasal wall abnormality (Molajo *et al*). 98 *P*
severe, decreased pulmonary microvascular permeability (Davies *et al*). 91 *P*
valve, dilatation, echocardiography, and Doppler and colour flow mapping role, before, during, and after (Monaghan *et al*). 79 *P*
percutaneous transluminal balloon dilatation in pregnancy: case report (Smith *et al*). 551
prolapse and collagen genes (Henney *et al*). 292
familial, and collagen genes (Wordsworth *et al*). 300
repair, relative values of intra-operative epicardial and transoesophageal echocardiography (Fraser *et al*). 451 *P*
Monorail system for simple and complex percutaneous coronary angioplasty (Bergman *et al*). 447 *P*
Morquio syndrome, (mucopolysaccharidosis type IV) cardiac abnormalities (John *et al*). 450 *P*
Mortality, hospital, of ventricular tachycardia and fibrillation

(Dougeni-Christacou *et al*). 125 *P*
Mucopolysaccharidosis, type IV, (Morquio syndrome) cardiac abnormalities (John *et al*). 450 *P*
Multiple and single vessel percutaneous transluminal coronary angioplasty in multivessel coronary artery disease, complication rates (Hunt *et al*). 440 *P*
Multivariate analysis in simplification of broad complex tachycardia diagnosis (Griffith *et al*). 475 *P*
Multivessel disease, successful percutaneous coronary angioplasty, long term clinical results after (Henderson *et al*). 438 *P*
Mustard's operation
  long term haemodynamics in symptom free children (Carvalho *et al*). 90 *P*
  for transposition of the great arteries, percutaneous balloon dilatation may relieve pulmonary venous pathway obstruction after (Sullivan *et al*). 472 *P*
Myocardial
  hypertrophy and mechanical restitution in isolated human myocardium (Cooper *et al*). 112 *P*
  ambulatory ST segment deviation after, implications for exercise ischaemia and left ventricular function (Currie & Saltissi). 454 *P*
  baroreceptor sensitivity after, correlation with electrophysiological studies (Farrell *et al*). 472 *P*
  and circulating concentrations of free radicals (Higham *et al*). 454 *P*
  during coronary artery occlusion platelets influence on extent (Chakrabarty *et al*). 78 *P*
  different variables in prediction of arrhythmic events (Cripps *et al*). 83 *P*
  and early coronary atherogenesis in Asians, and glucose metabolism (Hughes *et al*). 78 *P*
  exercise testing, soon after (Peart *et al*). 231
    and intensive approach compared with less intense management (Sanderson *et al*). 454 *P*
    see also Exercise
  heart rate variability after, prognostic value (Farrell *et al*). 121 *P*
  heparin in reduction of major morbidity and mortality (MacMahon *et al*). 118 *P*
  in infancy, unmasking anomalous origin of left coronary artery from pulmonary artery by ligation of an arterial duct: case report (Sreeram *et al*). 307
  intravenous streptokinase and oral aspirin, ISIS-2 large randomised trial (Collins *et al*). 71 *P*
  left ventricular diastolic function, pulsed Doppler assessment (Flannery *et al*). 466 *P*
  myocardium at further risk after thrombolysis (Norell *et al*). 116 *P*
  neuroendocrine responses to captopril in acute heart failure after (McAlpine *et al*). 81 *P*
  non-invasive measurement of cardiac output by electrical bioimpedance cardiography, during (Findlay *et al*). 444 *P*
  non-Q wave, characteristics and prognosis (Fox *et al*). 122 *P*
    and no specific ECG changes, favourable long term prognosis (Boden *et al*). 396
  pathological changes after intravenous streptokinase treatment (Richardson *et al*). 390
  programmed ventricular stimulation in survivors, prognostic significance (Bhandari *et al*). 410
  Q wave, do reciprocal ECG changes represent additional ischaemia or necrosis (Jain *et al*). 471 *P*
  rapid recanalisation, by serial intravenous bolus injections of recombinant tissue type plasminogen activator (Khan *et al*). 453 *P*
  reciprocal ST segment depression, diagnostic importance (Yousif *et al*). 121 *P*
  recombinant tissue plasminogen activator, double blind placebo controlled study of early and late administration (McNeill *et al*). 316
    and streptokinase for preservation of left ventricular function compared after (White *et al*). 72 *P*
  right ventricular, diagnostic accuracy of electrocardiographic right chest leads V3R to V7R, 43 consecutive fatal cases (Andersen *et al*). 514
  right ventricular dysfunction enhances mortality after (McGhie *et al*). 121 *P*
  effects of streptokinase on plasma atrial natriuretic peptide (Phillips *et al*). 139
  treated with streptokinase, coronary lesion morphology (Davies *et al*). 72 *P*
  and stroke risk factors, women in United Kingdom, assessed in general practice (Thompson *et al*). 403
  and thrombolysis, adequate provision in England questioned (Skehan *et al*). 453 *P*
  electrocardiographic evidence of myocardial salvage after (Hogg *et al*). 489
  treatment of pain: review (Herlitz *et al*). 9
  uncomplicated, prediction of outcome, 394 patients with five years follow up (Akhras & Jackson). 120 *P*
ischaemia during sleep in chronic heart failure (Davies *et al*). 458 *P*
  reproducibility of site (Tweddel *et al*). 107 *P*
  in syndrome X, long term prognosis and variability (Pupita *et al*). 443 *P*
necrosis in subendocardial infarction and unstable angina, indium-111 labelled monoclonal antimyosin antibody for detection (Levy *et al*). 101 *P*
perfusion, in angina pectoris, effect of exercise training (Todd & Ballantyne). 107 *P*
  SPET scintigraphy in coronary artery disease, thallium 201 and technetium-99m MIBI compared (Mittal *et al*). 119 *P*
protection with diltiazem during percutaneous coronary angioplasty (Seth *et al*). 439 *P*
Myocardium
  comparative lack of free radical generation during cardiac surgery (Davies *et al*). 78 *P*
  further risk after thrombolysis in acute myocardial infarction (Norell *et al*). 116 *P*
  human, and reactive oxygen metabolites: editorial (Burrell & Blake). 4

Neuroendocrine responses to captopril in acute heart failure after myocardial infarction (McAlpine *et al*). 81 *P*
Nifedipine effect on cold intolerance in angina pectoris (Peart *et al*). 521
Non-Q wave myocardial infarction, characteristics and prognosis (Fox *et al*). 122 *P*
Noradrenaline
  kinetics in ischaemic heart disease (McCance & Forfar). 238
  myocardial overflow, effects of enalapril during exercise in chronic heart failure (Mulligan *et al*). 23
  output, cardiac, during percutaneous transluminal coronary angioplasty (McCane & Forfar). 461 *P*
Notices, 130, 214, 308, 380, 484, 553

Obese subjects after weight loss, improvement of subclinical left ventricular dysfunction (DasGupta *et al*). 101 *P*
Obituary: William Evans (Evans) 68
Open heart surgery
  cardiac rehabilitation after, and return to work (Black *et al*). 448 *P*
  efficacy of flecainide for atrial arrhythmias after (Wafa *et al*). 124 *P*
Orthodromic tachycardia, new insights with computerised intraoperative epicardial mapping of QRS alternans during (Shenasa *et al*). 96 *P*
Oxygen transport monitoring in cardiogenic shock (Creamer *et al*). 445 *P*
Oxygenators compared, middle cerebral artery microembolism (Griffin *et al*). 449 *P*

Paced and natural rate response during everyday activity (Sulke *et al*). 476 *P*

Pacemakers
atrial demand, sinus node disease paced, electrophysiological follow up (Murphy *et al*). 467 *P*
dual chamber, importance of different atrioventricular intervals to improved exercise performance (Haskell & French). 46
optimal atrioventricular delay at rest and during exercise, non-invasive assessment by continuous wave Doppler (Mehta *et al*). 161
temporary, hazards associated with use before permanent pacing (Winner & Boon). 96 *P*
Pacing
cardiac, and malignant vasovagal syndrome in 332 syncopal patients (Fitzpatrick *et al*). 97 *P*
correcting a block, successful experience of small British pacing centre: correspondence (Joseph). 212
endocardial, long term follow up, children of 15 kg or less (Till *et al*). 467 *P*
rate adaptive, by ventricular depolarisation gradient as control parameter in closed loop system, clinical assessment (Paul *et al*). 469 *P*
rate influence on QT shortening with exercise (Coghlan *et al*). 469 *P*
wire electrode, temporary epicardial, saphenous vein graft injury during removal: case report (Price & Keenan). 546
Pain treatment in myocardial infarction: review (Herlitz *et al*). 9
Paroxysmal ventricular tachycardia, exercise related, role of atropine and isoprenaline (Toda *et al*). 268
Peptide containing neural and endocrine elements in human heart (Wharton *et al*). 112 *P*
Percutaneous angioscopy, assessment with high optical quality imaging (Rees *et al*). 86 *P*
Percutaneous transluminal coronary angioplasty
balloon dilatation, of aortic valve, for congenital aortic stenosis in childhood (Sullivan *et al*). 186
for critical aortic stenosis in neonates with severe endocardial fibroelastosis (Ladusans *et al*). 470 *P*
mechanism, magnitude, and duration of effects (Rosenthal *et al*). 92 *P*
as treatment of choice for aortic recoarctation (Sullivan *et al*). 480 *P*
may relieve pulmonary venous pathway obstruction after Mustard's operation for transposition of the great arteries (Sullivan *et al*). 472 *P*
measurement of inflated size during percutaneous coronary angioplasty (Penny *et al*). 447 *P*
of mitral valve by double and single balloon techniques (Jewitt *et al*). 91 *P*
in pregnancy: case report (Smith *et al*). 551
"inoperable" mitral stenosis (Shaw *et al*). 452 *P*
of pulmonary outflow tract as palliation of tetralogy of Fallot (Qureshi *et al*). 482 *P*
for pulmonary stenosis, critical neonates and infants (Walsh *et al*). 77 *P*
of stenosed bioprosthesis in tricuspid valve position: case report (Wren & Hunter). 65
of stenosed Blalock-Taussig shunts (Qureshi *et al*). 432
for systemic venous obstruction after Mustard's operation (Carvalho *et al*). 90 *P*
of bifurcation lesions in major coronary vessels (Bergman *et al*). 84 *P*
cardiac noradrenaline output during (McCance & Forfar). 461 *P*
in chronic total occlusions, long term follow up after (Nouriel *et al*). 94 *P*
lesions effect on results (Balcon *et al*). 446 *P*
Percutaneous transluminal coronary angioplasty, dynamic, normal and abnormal coronary arteries (Gehani *et al*). 85 *P*
epicardial electrogram during successive balloon occlusion during (Taggart *et al*). 84 *P*
exercise testing and prediction of restenosis after (El-Tamimi *et al*). 95 *P*
failed, emergency operation after, how late (O'Kane *et al*). 93 *P*
importance of procedural factors in development of recurrent restenosis (Glazier *et al*). 94 *P*
inflated balloon size measurement during (Penny *et al*). 447 *P*
laser wire for, in chronically occluded coronary arteries (Bowes *et al*). 438 *P*
left internal mammary artery grafts (Bell *et al*). 417
and left ventricular function in single vessel coronary artery disease (Najm *et al*). 262
management and outcome of recurrent restenosis after (Glazier *et al*). 95 *P*
in multivessel disease, complete/incomplete revascularisation compared (Seth *et al*). 79 *P*
myocardial protection with diltiazem during (Seth *et al*). 439 *P*
Angioplasty, platelet function transcardiac changes before and after (Gershlick *et al*). 83 *P*
results assessment from digital subtraction, comparison of methods (Katritsis *et al*). 85 *P*
simple and complex, with Monorail system (Bergman *et al*). 447 *P*
for single vessel disease, long term clinical follow up after (Henderson *et al*). 95 *P*
see also Balloon dilatation
successful, in multivessel disease, long term clinical results after (Henderson *et al*). 438 *P*
recurrent restenosis after, outcome (Glazier *et al*). 485
and restenosis, paradox of optimal improvement in stenosis (Beatt *et al*). 439 *P*
Perfusion, normal and ischaemic, cardiac hypertrophy effects on cellular electrophysiology (Winterton *et al*). 442 *P*
Peripheral vascular response, abnormal, in hypertrophic cardiomyopathy in relation to clinical and prognostic features (Counihan *et al*). 456 *P*
Phase analysis, quantitative, in assessment of coronary artery disease (Underwood *et al*). 14
Phosphorus
magnetic resonance spectroscopy of leg muscle in heart failure (Arnolda *et al*). 459 *P*
metabolism non-invasive measurement in human heart during exercise by phosphorus-31 magnetic resonance spectroscopy (Conway *et al*). 104 *P*
Phrenic nerve paralysis, frequency after cardiac surgery in children (Mok *et al*). 99 *P*
Plasminogen activator
low dose tissue, inhibition of coronary thrombosis (Fox *et al*). 73 *P*
recombinant tissue, and thrombolysis (Wilcox *et al*). 71 *P*
and streptokinase compared, for left ventricular function preservation after myocardial infarction (White *et al*). 72 *P*
Platelet
aggregation in vitro, considerable, caused by laser-generated tissue debris (Scriven & Nathan). 447 *P*
function changes, and epoprostenol infusion (Gershlick *et al*). 461 *P*
transcardiac, before and after angioplasty (Gershlick *et al*). 83 *P*
influence on extent of myocardial infarction during coronary artery occlusion (Chakrabarty *et al*). 78 *P*
thrombus deposition and vasospasm after arterial angioplasty, effects of thrombin inhibition by heparin or hirudin (Penny *et al*). 117 *P*
Posterobasal wall abnormality, isolated, possible cause of left ventricular dysfunction in mitral stenosis (Molajo *et al*). 98 *P*
Potassium, extracellular, accumulation rate, effects of sotalol (Hicks & Cobbe). 442 *P*
Precordial and transoesophageal echocardiography, in spectrum of infective endocarditis, comparative value (Taams *et al*). 93 *P*
Pre-excitation
induced by exercise, association with anteroseptal accessory atrioventricular connections sensitive to adenosine and verapamil (Garratt *et al*). 475 *P*
induced by respiration, autonomic regulation (Butrous *et al*). 473 *P*
latent, unmasking, adenosine and vagal manoeuvres in sinus

rhythm (Garratt *et al*). 467 *P*
Pregnancy, percutaneous transluminal balloon dilatation of mitral valve: case report (Smith *et al*). 551
Pressure half time in aortic regurgitation (Samstad *et al*). 336
Proceedings, British Cardiac Society, autumn meeting, London 22 to 24 November 1988, 71
68th Annual General Meeting, Oxford, 6 and 7 April 1989, 435
Propranolol
effect on cold intolerance in angina pectoris (Peart *et al*). 521
induced bradycardia in tetralogy of Fallot: case report (Clark *et al*). 378
Prostaglandin E1 in 12 hour lung preservation, deleterious effects (Bonser *et al*). 463 *P*
Prosthetic valves in tricuspid position, Doppler echocardiographic characteristics (Pye *et al*). 92 *P*
Protein turnover, whole body, and skeletal muscle in heart failure (Morrison *et al*). 459 *P*
Proto-oncogene expression, myocardial, and effects of thyroid state (Gammage *et al*). 441 *P*
Pseudoaneurysm, left ventricular, colour flow imaging advantages in diagnosis (Sutherland *et al*). 59; 81 *P*
Pulmonary
artery banding, is it obsolete for double inlet ventricle and tricuspid atresia (Franklin *et al*). 479 *P*
pressure, and tricuspid regurgitation, five years after mitral bioprostheses implantation (Ikram *et al*). 450 *P*
capillary permeability in chronic left heart failure (Davies *et al*). 477 *P*
microvascular permeability, decreased, in severe mitral stenosis (Davies *et al*). 91 *P*
stenosis, critical, percutaneous balloon dilatation, neonates and infants (Walsh *et al*). 77 *P*
wedge pressure as good index of intra-operative myocardial ischaemia (van Daele *et al*). 477 *P*
Pulsed Doppler assessment, left ventricular diastolic function in myocardial infarction (Flannery *et al*). 466 *P*

QRS alternans, new insights with computerised intraoperative epicardial mapping, during orthodromic tachycardia (Shenasa *et al*). 96 *P*
QT
interval in atrial fibrillation (Pai & Rawles). 510
prolongation, in diabetic autonomic neuropathy (Chambers *et al*). 97 *P*
and silent ischaemia, diabetic men with autonomic neuropathy (O'Sullivan *et al*). 444 *P*
shortening with exercise, influence of pacing rate (Coghlan *et al*). 469 *P*

Radiotherapy, coronary ostial stenosis after, angioplasty or coronary artery surgery: case report (Handler *et al*). 208
Rate adaptive pacing by ventricular depolarisation gradient as control parameter in closed loop system, clinical assessment (Paul *et al*). 469 *P*
Reactive oxygen metabolites and human myocardium: editorial (Burrell & Blake). 4
Reciprocal ST segment depression in myocardial infarction, diagnostic importance (Yousif *et al*). 121 *P*
Recombinant
human erythropoietin treated haemodialysis, increased exercise capacity and reversal of exercise induced myocardial ischaemia (Lewis *et al*). 436 *P*
tissue plasminogen activator in myocardial infarction, double blind placebo controlled study of early and late administration (McNeill *et al*). 316
Renography, exercise, in heart failure (Conway *et al*). 80 *P*
Respiration, pre-excitation induced, autonomic regulation (Butrous *et al*). 473 *P*
Restenosis
after percutaneous transluminal coronary angioplasty, exercise testing and prediction of (El-Tamimi *et al*). 95 *P*
recurrent, development, importance of procedural factors after PTCA (Glazier *et al*). 94 *P*
management and outcome after PTCA (Glazier *et al*). 95 *P*
after percutaneous transluminal balloon angioplasty, outcome (Glazier *et al*). 485
Risk factors, coronary, and fitness (Davies *et al*). 444 *P*
Rose angina questionnaire, using (Cook & Shaper). 114 *P*

Saccular aneurysm of coronary artery in association with unstable angina, serial angiographic findings during development: case report (Goudevenos *et al*). 372
Salbutamol, intracoronary injections show beta$_2$ adrenoreceptor mediated activity (Hall *et al*). 108 *P*
Saphenous vein
graft injury during removal of temporary epicardial pacing wire electrode: case report (Price & Keenan). 546
human, intimal proliferation in organ culture (Angelini *et al*). 108 *P*
Sarcoidosis, cardiac, magnetic resonance imaging (Underwood *et al*). 103 *P*
Schoonmaker catheter, clinical experience (Skehan *et al*). 108 *P*
Signal averaged electrocardiograms, and myocardial biopsy specimens compared in ventricular tachycardia associated with no obvious cardiac abnormality (Mehta *et al*). 102 *P*
Silent ischaemia
exertional evidence, perception of angina in diabetes (Ambepityia *et al*). 437 *P*
frequency in coronary artery disease and angina receiving standard medical treatment (Mulcahy *et al*). 445 *P*
after infarction and in chronic stable angina, compared, effect of diltiazem (Khan *et al*). 471 *P*
myocardial, in patients referred for coronary bypass surgery because of angina, compared with those well-controlled on medical treatment (Mulcahy *et al*). 496
and QT prolongation, diabetic men with autonomic neuropathy (O'Sullivan *et al*). 444 *P*
and symptomatic, functional and angiographic comparison (Fox *et al*). 436 *P*
Simpson's rule in determination of left ventricular volumes in congenital heart disease, infants and children (Ino *et al*). 182
Single vessel disease, long term clinical follow up after PTCA (Henderson *et al*). 95 *P*
Sinus
arrhythmia in atrial septal defect, children, analysis of heart rate variability before and after surgical repair (Finley *et al*). 280
node disease paced with atrial demand pacemakers, electrophysiological follow up (Murphy *et al*). 467 *P*
of Valsalva unruptured aneurysm presenting with isolated heart block, echocardiographic diagnosis and successful surgical repair; case report (Ahmad *et al*). 375
venous atrial septal defect, investigation and repair (Brooks *et al*). 89 *P*
Skeletal muscle and whole body protein turnover in heart failure (Morrison *et al*). 459 *P*
Socioenvironmental factors, unemployment, and coronary heart disease, Scotland (Crombie *et al*). 172
Sotalol
effects accumulation rate of extracellular potassium (Hicks & Cobbe). 442 *P*
in termination of ventricular tachycardia, comparative efficacy and safety (Griffith *et al*). 123 *P*
Staphylococcal septicaemia, endocarditis in intravenous drug abusers with (Burns *et al*). 356
Stenosed bioprosthesis percutaneous balloon dilatation in tricuspid valve position: case report (Wren & Hunter). 65
Stenosis
paradox of optimal improvement, by percutaneous transluminal coronary angioplasty and restenosis (Beatt *et al*). 439 *P*
severity, arteriographic underestimations of vessel diameter lead-

ing to overestimation (Pappageorgio *et al*). 478 *P*
Stent implantation for coronary artery bypass graft stenosis treatment (Beatt *et al*). 446 *P*
Streptokinase
effects on plasma atrial natriuretic peptide in myocardial infarction (Phillips *et al*). 139
intravenous, and oral aspirin in acute myocardial infarction, ISIS-2, large randomised trial (Collins *et al*). 71 *P*
and recombinant tissue plasminogen activator compared for left ventricular function preservation after myocardial infarction (White *et al*). 72 *P*
intravenous, in myocardial infarction, pathological changes after (Richardson *et al*). 390
for myocardial infarction, coronary lesion morphology (Davies *et al*). 72 *P*
Stress
response of flow and distribution, in normal coronary arteries (Tweddel *et al*). 476 *P*
testing, district audit (Robson *et al*). 98 *P*
Stroke and myocardial infarction risk factors, women in United Kingdom, assessed in general practice (Thompson *et al*). 403
Subpulmonary ventricular septal defect with double outlet right ventricle, venous compared with anatomical repair (Musumeci & Lincoln). 89 *P*
Substance P in vivo, atherosclerotic human coronary vessels preserve dilator response to (Crossman *et al*). 455 *P*
Superior vena cava, Doppler analysis of blood flow, clinical and echocardiographic correlation (Parsons *et al*). 481 *P*
Supravalvar aortic stenosis, symmetrical aortoplasty repair (Angelini *et al*). 482 *P*
Supraventricular tachycardias
catecholamine dependent, isoprenaline as aid to induction during programmed stimulation (Brembilla-Perrot *et al*). 348
verapamil or adenosine (Rankin *et al*). 123 *P*
Sympathetic
neural activity, cardiac, in ischaemic heart disease (McCance). 105 *P*
neurohormonal response to dynamic exercise early after orthotopic cardiac transplantation (Banner *et al*). 127 *P*
Syndrome X
abnormal left ventricular filling during dipyridamole echocardiography (Nadazdin *et al*). 478 *P*
and myocardial ischaemia, long term prognosis and variability (Pupita *et al*). 443 *P*
as a variable degree of myopathy (Tweddel *et al*). 74 *P*
Systemic lupus erythematosus, cardiac abnormalities, association with raised cardiolipin antibodies (Gomez *et al*). 80 *P*

Tachycardia
broad complex, simplification of diagnosis by multivariate analysis (Griffith *et al*). 475 *P*
initiation and termination windows, reproducible in long term (Bucknall *et al*). 468 *P*
Technetium-99 MIBI and thallium 201 compared in myocardial perfusion SPET scintigraphy in coronary artery disease (Mittal *et al*). 119 *P*
Temperature effect on rate of left ventricular pressure fall, humans (Luke *et al*). 426
Tetralogy of Fallot
efficacy of palliation by percutaneous balloon dilatation of pulmonary outflow tract (Qureshi *et al*). 482 *P*
propranolol induced bradycardia: case report (Clark *et al*). 378
total correction, assessment of survival (Ladusans *et al*). 90 *P*
Thallium 201 and technetium-99 MIBI compared in myocardial perfusion SPET scintigraphy in coronary artery disease (Mittal *et al*). 119*P*
Thoracic aortic dissection, acute, suspected, aortography and computed tomographic scanning (Morgan *et al*). 466 *P*
Thrombolysis
in cardiogenic shock (Burke *et al*). 88 *P*
comparison of recombinant tissue plasminogen activator and streptokinase after myocardial infarction (White *et al*). 72 *P*
coronary lesions after, irregularity predicts need for urgent intervention (Davies *et al*). 452 *P*
coronary, successful and unsuccessful: editorial (Davies). 381
direct admission to coronary care unit (Burns *et al*). 322
for myocardial infarction, adequate provision in England questioned (Skehan *et al*). 453 *P*
electrocardiographic evidence of myocardial salvage after (Hogg *et al*). 489
one year mortality, home/coronary care unit treatment compared (Burke *et al*). 72 *P*
with recombinant tissue plasminogen activator (rt-PA) (Wilcox *et al*). 71 *P*
successful and unsuccessful, features of infarct related vessel (Onodera *et al*). 385
see also Plasminogen: Streptokinase
Thyroid state, and myocardial proto-oncogene expression (Gammage *et al*). 441 *P*
Transmitral velocities measured by pulsed Doppler in healthy volunteers, effects of acute changes in blood pressure and heart rate (Smith *et al*). 344
Transoesophageal
approach to defibrillation of ventricular fibrillation (McKeown *et al*). 468 *P*
DC cardioversion (McKeown *et al*). 96 *P*
echocardiography, improved diagnostic technique for subaortic membranes (Sutherland *et al*). 76 *P*
method of choice to visualise left atrial pathology (de Belder *et al*). 478 *P*
with mitral prostheses, assessment (Nihoyannopoulos *et al*). 471 *P*
outpatient, technique, patient tolerance, and costs (Leech *et al*). 479 *P*
role in diagnosis of aortic dissection, cooperative multicentre trial (Sutherland *et al*). 125 *P*
value in congenital heart disease, adolescents and adults (Sutherland *et al*). 480 *P*
and precordial, in spectrum of infective endocarditis, comparative value (Tams *et al*). 93 *P*
Transplantation, orthotopic, sympathetic neurohormonal response to dynamic exercise early after (Banner *et al*). 127 *P*
Transvenous His bundle ablation, short term and long term, prediction of success (Agarwal & Redding). 99 *P*
Tricuspid
atresia, and double inlet ventricle, is pulmonary artery banding obsolete (Franklin *et al*). 479 *P*
regurgitation and pulmonary artery pressure, five years after mitral bioprostheses implantation (Ikram *et al*). 450 *P*
Triglycerides, ischaemic heart disease, and high density lipoprotein cholesterol, reappraisal (Pocock *et al*). 106 *P*

Ultrasound, intravascular three dimensional imaging of the arteries (Burrell *et al*). 476 *P*
Unemployment, socioenvironmental factors, and coronary heart disease, Scotland (Crombie *et al*). 172

Vagal manoeuvres during sinus rhythm and latent pre-excitation (Garratt *et al*). 467 *P*
Valvar regurgitation from first pass radionuclide angiography, whole bolus ratio, new technique for assessing (Wiseman *et al*). 465 *P*
Vasodilator response, abnormal, in hypertrophic cardiomyopathy, evidence for (Frenneaux *et al*). 74 *P*
Vasovagal syndrome, malignant, incidence in 332 syncopal patients, results of cardiac pacing (Fitzpatrick *et al*). 97 *P*
Ventricle (ventricular)
arrhythmias pathogenesis, role of wall stress (James). 105 *P*
prevalence in left ventricular hypertrophy caused by aortic

valve disease (Al-Riyami *et al*). 450 *P*
depolarisation gradient as control parameter in closed loop system, clinical assessment of rate adaptive pacing (Paul *et al*). 469 *P*
fibrillation, transoesophageal approach to defibrillation (McKeown *et al*). 468 *P*
left, apical aneurysm, associated with sustained uniform ventricular tachycardia in hypertrophic cardiomyopathy (Alfonso *et al*). 178
assist devices, implantable, medium term cardiovascular effects, calf (Withington *et al*). 464 *P*
diastolic function in myocardial infarction, pulsed Doppler assessment (Flannery *et al*). 466 *P*
dysfunction in mitral stenosis, possible cause by isolated posterobasal wall abnormality (Molajo *et al*). 98 *P*
subclinical, improvement in obese subjects after weight loss (DasGupta *et al*). 101 *P*
filling, active, evidence study of association of ventricular torsion, and ventricular volume (Smith). 113 *P*
diastolic, impaired, in familial amyloid polyneuropathy, pulsed Doppler echocardiographic study (Kinoshita *et al*). 198
and early diastolic function during angina in coronary artery disease (Dawson & Gibson). 248
relation of third and fourth heart sounds to blood velocity during (Vancheri & Gibson). 144
Cardioscint, new system for continuous evaluation (Lahiri *et al*). 102 *P*
continuous monitoring by Cardioscint, validation (Broadhurst *et al*). 465 *P*
late, after anatomical correction of anomalous left coronary artery (Kirk *et al*). 110 *P*
and percutaneous transluminal coronary angioplasty in single vessel coronary artery disease (Najm *et al*). 262
hypertrophy caused by aortic valve disease, prevalence of ventricular arrhythmias (Al-Riyami *et al*). 450 *P*
pressure fall rate, effect of temperature, humans (Luke *et al*). 426
pseudoaneurysm, colour flow imaging advantages in diagnosis (Sutherland *et al*). 59; 81 *P*
twist, human, measurement by magnetic resonance tagging (Buchalter *et al*). 112 *P*
volumes determination by Simpson's rule in congenital heart disease, infants and children (Ino *et al*). 182
paced evoked response, electrophysiological basis of configurations (Baig *et al*). 473 *P*
right, dysfunction enhances mortality after myocardial infarction (McGhie *et al*). 121 *P*
infarction, diagnostic accuracy of electrocardiographic right chest leads V3R to V7R, 43 consecutive fatal cases (Andersen *et al*). 514
pressure-volume association, effect of loading conditions (Redington *et al*). 81 *P*
tachycardias, non-ischaemic, reproducibility, induced by exercise (Mehta *et al*). 474 *P*
non-ischaemic, significance of frontal plane axis (Mehta *et al*). 474 *P*
septal defects, colour flow mapping as intraoperative angiography, advantages and pitfalls (Sutherland *et al*). 127 *P*
and heart failure, digoxin effects, infants (Salmon *et al*). 115 *P*
post-infarct, range of coronary artery lesions and requirements for coronary arteriography (Smyllie *et al*). 114 *P*
stimulation in survivors of myocardial infarction, prognostic significance (Bhandari *et al*). 410
stroke work loss, alternative method of quantifying aortic stenosis severity (Sprigings *et al*). 451 *P*
tachycardia, adenosine, lignocaine, disopyramide, flecainide, and sotalol, comparative efficacy and safety in termination (Griffith *et al*). 123 *P*
associated with no obvious cardiac abnormality, signal averaged electrocardiograms, and myocardial biopsy specimens compared (Mehta *et al*). 102 *P*
electrode catheter ablation for, efficacy of single cathodal shock (Hauer *et al*). 38
and fibrillation, hospital mortality (Dougeni-Christacou *et al*). 125 *P*
and hypertrophic cardiomyopathy, long term survival with amiodarone (McKenna *et al*). 472 *P*
presentation, children (Priestley *et al*). 77 *P*
sustained uniform, in hypertrophic cardiomyopathy, associated with left ventricular apical aneurysm (Alfonso *et al*). 178
treatment, usefulness of haemodynamic changes during (Davies *et al*). 466 *P*
topology in atrioventricular septal defect cross sectional echocardiography for recognition (Carvalho *et al*). 285
torsion and ventricular volume, in association in active filling of left ventricle (Smith). 113 *P*
Verapamil or adenosine for supraventricular tachycardia (Rankin *et al*). 123 *P*
effect on pre-excitation induced by exercise (Garratt *et al*). 475 *P*

Wall stress, role in pathogenesis of ventricular arrhythmia (James). 105 *P*
Whole bolus ratio, new technique for assessing valvar regurgitation from first pass radionuclide angiography (Wiseman *et al*). 465 *P*
Wolff-Parkinson-White syndrome
epicardial approach to surgical treatment (Ratnatunga *et al*). 462 *P*
after heart transplantation: case report (Goy *et al*). 368

CONTENTS OF VOLUME 61

Number 1

JUBILEE EDITORIAL: A 50 YEAR PERSPECTIVE: THE BRITISH HEART JOURNAL D Krikler 1

EDITORIAL: REACTIVE OXYGEN METABOLITES AND THE HUMAN MYOCARDIUM C J Burrell, D R Blake 4

REVIEW: TREATMENT OF PAIN IN ACUTE MYOCARDIAL INFARCTION
J Herlitz, Å Hjalmarson, F Waagstein 9

QUANTITATIVE PHASE ANALYSIS IN THE ASSESSMENT OF CORONARY ARTERY DISEASE
S R Underwood, S Walton, P J Laming, P J Ell, R W Emanuel, R H Swanton 14

EFFECTS OF ENALAPRIL ON MYOCARDIAL NORADRENALINE OVERFLOW DURING EXERCISE IN PATIENTS WITH CHRONIC HEART FAILURE
I P Mulligan, A G Fraser, M J Lewis, A H Henderson 23

RESTRICTIVE CARDIOMYOPATHY AND CONSTRICTIVE PERICARDITIS: NON-INVASIVE DISTINCTION BY DIGITISED M MODE ECHOCARDIOGRAPHY
J M Morgan, L Raposo, J C Clague, W H Chow, P J Oldershaw 29

ELECTRODE CATHETER ABLATION FOR VENTRICULAR TACHYCARDIA: EFFICACY OF A SINGLE CATHODAL SHOCK R N W Hauer, E O Robles de Medina, P J Kuijer, P W Westerhof 38

PHYSIOLOGICAL IMPORTANCE OF DIFFERENT ATRIOVENTRICULAR INTERVALS TO IMPROVED EXERCISE PERFORMANCE IN PATIENTS WITH DUAL CHAMBER PACEMAKERS R J Haskell, W J French 46

ABNORMAL CARDIAC SIGNS AFTER FONTAN TYPE OF OPERATION: INDICATORS OF RESIDUA AND SEQUELAE
M P Leung, L N Benson, J F Smallhorn, W G Williams, G A Trusler, R M Freedom 52

ADVANTAGES OF COLOUR FLOW IMAGING IN THE DIAGNOSIS OF LEFT VENTRICULAR PSEUDOANEURYSM
G R Sutherland, J H Smyllie, J R T C Roelandt 59

CASE REPORT
BALLOON DILATATION OF A STENOSED BIOPROSTHESIS IN THE TRICUSPID VALVE POSITION
C Wren, S Hunter 65

OBITUARY
William Evans 68

PROCEEDINGS OF THE BRITISH CARDIAC SOCIETY 71

CORRESPONDENCE 128

NOTICES 130

AUTHORS' CHECKLIST FOR MANUSCRIPTS 131

Number 2

REVIEW: DOPPLER COLOUR FLOW MAPPING: TECHNOLOGY IN SEARCH OF AN APPLICATION?
M J Monaghan, P Mills 133

PLASMA ATRIAL NATRIURETIC PEPTIDE IN PATIENTS WITH ACUTE MYOCARDIAL INFARCTION: EFFECTS OF STREPTOKINASE P A Phillips, J Sasadeus, G P Hodsman, J Horowitz, A Saltups, C I Johnston 139

RELATION OF THIRD AND FOURTH HEART SOUNDS TO BLOOD VELOCITY DURING LEFT VENTRICULAR FILLING F Vancheri, D Gibson 144

IMPAIRED BLOOD PRESSURE RESPONSE TO EXERCISE IN PATIENTS WITH CORONARY ARTERY DISEASE: POSSIBLE CONTRIBUTION OF ATTENUATED REFLEX VASOCONSTRICTION IN NON-EXERCISING MUSCLES
S Okamatsu, A Takeshita, M Nakamura 149

ELECTROCARDIOGRAPHIC FINDINGS IN MALE VETERAN ENDURANCE ATHLETES
R J Northcote, G P Canning, D Ballantyne 155

OPTIMAL ATRIOVENTRICULAR DELAY AT REST AND DURING EXERCISE IN PATIENTS WITH DUAL CHAMBER PACEMAKERS: A NON-INVASIVE ASSESSMENT BY CONTINUOUS WAVE DOPPLER
D Mehta, S Gilmour, D E Ward, A J Camm 161

DETERMINATION OF THE RATIO OF PULMONARY BLOOD FLOW TO SYSTEMIC BLOOD FLOW BY DERIVATION OF AMPLITUDE WEIGHTED MEAN VELOCITY FROM CONTINUOUS WAVE DOPPLER SPECTRA
R Jenni, M Ritter, A Vieli, H O Hirzel, E R Schmid, J Grimm, M Turina 167

UNEMPLOYMENT, SOCIOENVIRONMENTAL FACTORS, AND CORONARY HEART DISEASE IN SCOTLAND
I K Crombie, M B Kenicer, W C S Smith, H D Tunstall-Pedoe 172

CLINICAL SUSTAINED UNIFORM VENTRICULAR TACHYCARDIA IN HYPERTROPHIC CARDIOMYOPATHY: ASSOCIATION WITH LEFT VENTRICULAR APICAL ANEURYSM
F Alfonso, M P Frenneaux, W J McKenna 178

DETERMINATION OF LEFT VENTRICULAR VOLUMES BY SIMPSON'S RULE IN INFANTS AND CHILDREN WITH CONGENITAL HEART DISEASE T Ino, L N Benson, H Mikalian, R M Freedom, R D Rowe 182

BALLOON DILATATION OF THE AORTIC VALVE FOR CONGENITAL AORTIC STENOSIS IN CHILDHOOD
I D Sullivan, C Wren, H Bain, S Hunter, P G Rees, J F N Taylor, C Bull, J E Deanfield 186

DISTINGUISHING BETWEEN ANOMALOUS ORIGIN OF THE LEFT CORONARY ARTERY FROM THE PULMONARY TRUNK AND DILATED CARDIOMYOPATHY: ROLE OF ECHOCARDIOGRAPHIC MEASUREMENT OF THE RIGHT CORONARY ARTERY DIAMETER K Koike, N N Musewe, J F Smallhorn, R M Freedom 192

IMPAIRED LEFT VENTRICULAR DIASTOLIC FILLING IN PATIENTS WITH FAMILIAL AMYLOID POLYNEUROPATHY: A PULSED DOPPLER ECHOCARDIOGRAPHIC STUDY
O Kinoshita, M Hongo, H Yamada, T Misawa, J Kono, S Okubo, S-I Ikeda 198

FAMILIAL AORTIC DISSECTION: A REPORT OF RARE FAMILY CLUSTER M Toyama, A Amano, T Kameda 204

CASE REPORT
CORONARY OSTIAL STENOSIS AFTER RADIOTHERAPY: ANGIOPLASTY OR CORONARY ARTERY SURGERY?
C E Handler, S Livesey, P A Lawton 208

CORRESPONDENCE 212

NOTICES 214

Number 3

CARDIOPULMONARY RESPONSE TO DYNAMIC EXERCISE AFTER HEART AND COMBINED HEART-LUNG TRANSPLANTATION N R Banner, M H Lloyd, R D Hamilton, J A Innes, A Guz, M H Yacoub 215

ISOMETRIC EXERCISE IN THE DENERVATED HEART: A DOPPLER ECHOCARDIOGRAPHIC STUDY
S C Robson, S S Furniss, A Heads, R J Boys, C McGregor, R S Bexton 224

EXERCISE TESTING SOON AFTER MYOCARDIAL INFARCTION: ITS RELATION TO COURSE AND OUTCOME AT ONE YEAR IN PATIENTS AGED LESS THAN 55 YEARS
I Peart, O Odemuyiwa, C Albers, A Hall, C Kelly, R J C Hall 231

CARDIAC AND WHOLE BODY [^{3}H]NORADRENALINE KINETICS IN ISCHAEMIC HEART DISEASE: CONTRAST BETWEEN UNSTABLE ANGINAL SYNDROMES AND PACING INDUCED ISCHAEMIA
A J McCance, J C Forfar 238

LEFT VENTRICULAR FILLING AND EARLY DIASTOLIC FUNCTION AT REST AND DURING ANGINA IN PATIENTS WITH CORONARY ARTERY DISEASE J R Dawson, D G Gibson 248

THE EFFECTS OF TREATMENT WITH FELODIPINE AS A SINGLE AGENT IN CORONARY ARTERY DISEASE
M J Metcalfe, N S Chan-Wah-Hak, K Jennings 258

CORONARY ANGIOPLASTY AND LEFT VENTRICULAR FUNCTION IN SINGLE VESSEL CORONARY ARTERY DISEASE
Y C Najm, A D Timmis, M N Maisey, L M Y Pinies, A Salinas, P V L Curry, E Sowton 262

ELECTROPHYSIOLOGICAL STUDY OF YOUNG PATIENTS WITH EXERCISE RELATED PAROXYSMS OF PALPITATION: ROLE OF ATROPINE AND ISOPRENALINE FOR INITIATION OF SUPRAVENTRICULAR TACHYCARDIA
I Toda, T Kawahara, Y Murakawa, A Nozaki, K Kawakubo, H Inoue, T Sugimoto 268

ELECTROCARDIOGRAPHIC FINDINGS AND FREQUENCY OF ARRHYTHMIAS IN BARTTER'S SYNDROME
C Blomström-Lundqvist, K Caidahl, S B Olsson, A Rudin 274

SINUS ARRHYTHMIA IN CHILDREN WITH ATRIAL SEPTAL DEFECT: AN ANALYSIS OF HEART RATE VARIABILITY BEFORE AND AFTER SURGICAL REPAIR
J P Finley, S T Nugent, W Hellenbrand, M Craig, D A Gillis 280

CROSS SECTIONAL ECHOCARDIOGRAPHY FOR RECOGNITION OF VENTRICULAR TOPOLOGY IN ATRIOVENTRICULAR SEPTAL DEFECT J S Carvalho, M L Rigby, E A Shinebourne, R H Anderson 285

CARDIAC ABNORMALITIES IN THE FRAGILE X SYNDROME
N Sreeram, C Wren, M Bhate, P Robertson, S Hunter 289

GENETIC EVIDENCE THAT MUTATIONS IN THE *COL1A1, COL1A2, COL3A1,* OR *COL5A2* COLLAGEN GENES ARE NOT RESPONSIBLE FOR MITRAL VALVE PROLAPSE
A M Henney, P Tsipouras, R C Schwartz, A H Child, R B Devereux, G J Leech 292

GENETIC SEGREGATION ANALYSIS OF FAMILIAL MITRAL VALVE PROLAPSE SHOWS NO LINKAGE TO FIBRILLAR COLLAGEN GENES P Wordsworth, D Ogilvie, F Akhras, G Jackson, B Sykes 300

CASE REPORT

ACUTE MYOCARDIAL INFARCTION IN INFANCY: UNMASKING OF ANOMALOUS ORIGIN OF THE LEFT CORONARY ARTERY FROM THE PULMONARY ARTERY BY LIGATION OF AN ARTERIAL DUCT
N Sreeram, S Hunter, C Wren 307

NOTICES 308

Number 4

REVIEW: DOES THE ATRIOVENTRICULAR NODE CONDUCT? F L Meijler, C Fisch 309

A DOUBLE BLIND PLACEBO CONTROLLED STUDY OF EARLY AND LATE ADMINISTRATION OF RECOMBINANT TISSUE PLASMINOGEN ACTIVATOR IN ACUTE MYOCARDIAL INFARCTION
A J McNeill, S R Cunningham, D J Flannery, G W N Dalzell, C M Wilson, N P S Campbell, M M Khan, G C Patterson, S W Webb, A A J Adgey 316

IMPACT OF A POLICY OF DIRECT ADMISSION TO A CORONARY CARE UNIT ON USE OF THROMBOLYTIC TREATMENT J M A Burns, K J Hogg, A P Rae, W S Hillis, F G Dunn 322

USE OF A HOLLOW WIRE TO FACILITATE ANGIOPLASTY OF OCCLUDED VESSELS
L D R Smith, D Katritsis, M M Webb-Peploe 326

EFFECT OF FLOSEQUINAN ON EXERCISE CAPACITY AND SYMPTOMS IN SEVERE HEART FAILURE
J S Elborn, C F Stanford, D P Nicholls 331

HALF TIME OF THE DIASTOLIC AORTOVENTRICULAR PRESSURE DIFFERENCE BY CONTINUOUS WAVE DOPPLER ULTRASOUND: A MEASURE OF THE SEVERITY OF AORTIC REGURGITATION?
S O Samstad, L Hegrenaes, T Skjaerpe, L Hatle 336

TRANSMITRAL VELOCITIES MEASURED BY PULSED DOPPLER IN HEALTHY VOLUNTEERS: EFFECTS OF ACUTE CHANGES IN BLOOD PRESSURE AND HEART RATE
S A Smith, J E Stoner, A E Russell, J M Sheppard, P E Aylward 344

ISOPRENALINE AS AN AID TO THE INDUCTION OF CATECHOLAMINE DEPENDENT SUPRAVENTRICULAR TACHYCARDIAS DURING PROGRAMMED STIMULATION
B Brembilla-Perrot, A Terrier de la Chaise, M Pichené, E Aliot, F Cherrier, C Pernot 348

ENDOCARDITIS IN INTRAVENOUS DRUG ABUSERS WITH STAPHYLOCOCCAL SEPTICAEMIA
J M A Burns, K J Hogg, W S Hillis, F G Dunn 356

AORTIC VALVOTOMY FOR CRITICAL AORTIC STENOSIS IN NEONATES AND INFANTS AGED LESS THAN ONE YEAR
S Balaji, B R Keeton, G R Sutherland, D F Shore, J L Monro 358

DIAGONAL EARLOBE CREASES AND FATAL CARDIOVASCULAR DISEASE: A NECROPSY STUDY
N Kirkham, T Murrells, D H Melcher, E A Morrison 361

CASE REPORTS

PERINATAL MANAGEMENT OF CRITICAL AORTIC VALVE STENOSIS DIAGNOSED BY FETAL ECHOCARDIOGRAPHY
M A Robertson, P J Byrne, P A Penkoske 365

WOLFF-PARKINSON-WHITE SYNDROME AFTER TRANSPLANTATION OF THE HEART
J-J Goy, L Kappenberger, M Turina 368

SERIAL ANGIOGRAPHIC FINDINGS DURING THE DEVELOPMENT OF A SACCULAR ANEURYSM OF THE CORONARY ARTERY IN ASSOCIATION WITH UNSTABLE ANGINA
J Goudevenos, M Been, D Williams 372

UNRUPTURED ANEURYSM OF THE SINUS OF VALSALVA PRESENTING WITH ISOLATED HEART BLOCK: ECHOCARDIOGRAPHIC DIAGNOSIS AND SUCCESSFUL SURGICAL REPAIR
R A S Ahmad, S Sturman, R D S Watson 375

PROPRANOLOL INDUCED BRADYCARDIA IN TETRALOGY OF FALLOT
D J Clark, K C Chan, J L Gibbs 378

NOTICES 380

Number 5

EDITORIAL: SUCCESSFUL AND UNSUCCESSFUL CORONARY THROMBOLYSIS
M J Davies 381

CINEANGIOGRAPHIC AND PATHOLOGICAL FEATURES OF THE INFARCT RELATED VESSEL IN SUCCESSFUL AND UNSUCCESSFUL THROMBOLYSIS
T Onodera, H Fujiwara, M Tanaka, D-J Wu, M Matsuda, G Takemura, M Ishida, A Kawamura, C Kawai 385

PATHOLOGICAL CHANGES AFTER INTRAVENOUS STREPTOKINASE TREATMENT IN EIGHT PATIENTS WITH ACUTE MYOCARDIAL INFARCTION
S G Richardson, D C Allen, P Morton, J G Murtagh, M E Scott, D B O'Keeffe 390

FAVOURABLE LONG TERM PROGNOSIS IN PATIENTS WITH NON-Q WAVE ACUTE MYOCARDIAL INFARCTION NOT ASSOCIATED WITH SPECIFIC ELECTROCARDIOGRAPHIC CHANGES
W E Boden, R E Kleiger, R S Gibson, B R Reddy, K B Schechtman, D J Schwartz, R J Capone, R Roberts, and the Diltiazem Reinfarction Study Research Group 396

RISK FACTORS FOR STROKE AND MYOCARDIAL INFARCTION IN WOMEN IN THE UNITED KINGDOM AS ASSESSED IN GENERAL PRACTICE: A CASE-CONTROL STUDY
S G Thompson, G Greenberg, T W Meade 403

PROGNOSTIC SIGNIFICANCE OF PROGRAMMED VENTRICULAR STIMULATION IN SURVIVORS OF ACUTE MYOCARDIAL INFARCTION
A K Bhandari, R Hong, A Kotlewski, N McIntosh, P Au, A Sankoorikal, S H Rahimtoola 410

PERCUTANEOUS TRANSLUMINAL ANGIOPLASTY OF LEFT INTERNAL MAMMARY ARTERY GRAFTS: TWO YEARS' EXPERIENCE WITH A FEMORAL APPROACH
M R Bell, D R Holmes Jr, R E Vlietstra, D R Bresnahan 417

A NEW EXERCISE TEST FOR THE ASSESSMENT OF HEART FAILURE: USE OF A SELF POWERED TREADMILL
J Parameshwar, J-H E Dambrink, J Sparrow, C Wright, A Park, J Tweed, P A Poole-Wilson 421

EFFECT OF TEMPERATURE ON RATE OF LEFT VENTRICULAR PRESSURE FALL IN HUMANS
R A Luke, C E Gillbe, R S Bonser, M Paneth, D Somerset, J Thomas, D G Gibson 426

BALLOON DILATATION OF STENOSED BLALOCK-TAUSSIG SHUNTS
S A Qureshi, R P Martin, D F Dickinson, S Hunter 432

PROCEEDINGS OF THE BRITISH CARDIAC SOCIETY 435

CORRESPONDENCE 483

NOTICES 484

CORRECTION: CARDIAC SURGERY FOR PATIENTS AGED 65 YEARS AND OLDER: A LONG TERM SURVIVAL ANALYSIS S Livesey, N Caine, D J Spiegelhalter, T A H English, J Wallwork 484

Number 6

OUTCOME IN PATIENTS WITH RECURRENT RESTENOSIS AFTER PERCUTANEOUS TRANSLUMINAL BALLOON ANGIOPLASTY J J Glazier, T R Varricchione, T J Ryan, N A Ruocco, A K Jacobs, D P Faxon 485

ELECTROCARDIOGRAPHIC EVIDENCE OF MYOCARDIAL SALVAGE AFTER THROMBOLYSIS IN ACUTE MYOCARDIAL INFARCTION H J Hogg, K R Lees, R S Hornung, C A Howie, F G Dunn, W S Hillis 489

SILENT MYOCARDIAL ISCHAEMIA IN PATIENTS REFERRED FOR CORONARY BYPASS SURGERY BECAUSE OF ANGINA: A COMPARISON WITH PATIENTS WHOSE SYMPTOMS WERE WELL CONTROLLED ON MEDICAL TREATMENT D Mulcahy, J Keegan, D Lindsay, J Sparrow, A Park, C Wright, K Fox 496

INITIAL EXPERIENCE WITH A MICROPROCESSOR CONTROLLED CURRENT BASED DEFIBRILLATOR G W N Dalzell, S R Cunningham, J Anderson, A A J Adgey 502

CENTRAL HAEMODYNAMIC CHANGES AFTER A MEAL H Kelbæk, O Munck, N J Christensen, J Godtfredsen 506

THE QT INTERVAL IN ATRIAL FIBRILLATION G R Pai, J M Rawles 510

RIGHT VENTRICULAR INFARCTION: DIAGNOSTIC ACCURACY OF ELECTROCARDIOGRAPHIC RIGHT CHEST LEADS V3R TO V7R INVESTIGATED PROSPECTIVELY IN 43 CONSECUTIVE FATAL CASES FROM A CORONARY CARE UNIT H R Andersen, E Falk, D Nielsen 514

COLD INTOLERANCE IN PATIENTS WITH ANGINA PECTORIS: EFFECT OF NIFEDIPINE AND PROPRANOLOL I Peart, R E Bullock, C Albers, R J C Hall 521

CLINICAL, HAEMODYNAMIC, AND PHARMACOLOGICAL EFFECTS OF WITHDRAWAL AND REINTRODUCTION OF DIGOXIN IN PATIENTS WITH HEART FAILURE IN SINUS RHYTHM AFTER LONG TERM TREATMENT S E Pugh, N J White, J K Aronson, D G Grahame-Smith, J G Bloomfield 529

ANOMALOUS SUBAORTIC POSITION OF THE BRACHIOCEPHALIC (INNOMINATE) VEIN: A REVIEW OF PUBLISHED REPORTS AND REPORT OF THREE NEW CASES L M Gerlis, S Y Ho 540

CASE REPORTS

INJURY TO A SAPHENOUS VEIN GRAFT DURING REMOVAL OF A TEMPORARY EPICARDIAL PACING WIRE ELECTRODE C Price, D J M Keenan 546

SEVERE HAEMOLYSIS AFTER PERCUTANEOUS CLOSURE OF A DUCTUS ARTERIOSUS (ARTERIAL DUCT) E J Ladusans, I Murdoch, J Franciosi 548

PERCUTANEOUS TRANSLUMINAL BALLOON DILATATION OF THE MITRAL VALVE IN PREGNANCY R Smith, D Brender, M McCredie 551

NOTICES 553

CORRESPONDENCE 554

LIST OF ADVISERS 555

INDEX 557